

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1899.

ADELAIDE:

BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE.

1900.

REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL
REPORT, 1899.

Office of Registrar-General of Births, &c., July 18th, 1900.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in the province in the year 1899.

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory; but, with these exceptions, everything stated with regard to the colony, in either the report itself or the tables accompanying it, is to be understood as referring to the southern part of the province only—that is, to South Australia proper.

POPULATION.

On December 31st, 1899, the estimated population of the province, exclusive of the inhabitants of the Northern Territory and of aborigines, was 365,755, viz., 190,043 males and 175,712 females. This showed an advance of 5,458 on the estimated population at the beginning of the year. All these figures are based on the revised estimates of population both for the beginning and for the end of 1899, which were agreed upon at the conference of Government statisticians held in Sydney in the early part of the present year.

The following table, compiled from the quarterly returns of the Collector of Customs published in the *Government Gazette*, shows the distribution as to route of the recorded immigration and emigration in 1899:—

Route.	INWARDS.				OUTWARDS.			
	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.
By sea.....	19,815	9,418	2,277	2,124	18,086	9,424	2,478	2,054
Via Morgan	330	129	30	46	279	113	31	39
Via Cockburn	9,625	4,657	1,678	1,422	9,003	4,546	1,419	1,145
Via Serviceton	13,898	7,151	616	341	14,210	8,108	560	466
	43,668	21,355	4,601	3,933	41,583	22,191	4,488	3,704

Taken as they stand (that is, without considering an allowance which has been made for unrecorded departures—719 males and 405 females) the figures in the table would show that, with respect to persons over 12 years of age, the population gained 2,085 males and lost 836 females, and that in regard to children under that age it gained 113 males and 229 females, the result being an increase of 2,198 males and a decrease of 607 females. The figures in the table show also that there was a gain of 73 persons *via* Morgan, of 1,264 *via* Cockburn, and of 1,592 by sea, while there was a loss of 1,338 *via* Serviceton.

The estimated mean population for the year was 363,026 (188,064 males and 174,962 females), being greater by 4,991 than the mean population of 1898.

Throughout this report, and the statistical tables accompanying it, the annual rates of births, deaths and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

The births registered in 1899 numbered 9,397, being more by 452 than those recorded in 1898, but, with that exception, being the lowest number registered in any year since 1878. The birth rate per 1,000 of the mean population was 25·89, against 24·98 in 1898, but, except the rate for that year, was below the rate of any other of the last forty years. As explained and clearly shown in the last annual report, the continued falling off in the number of births and the birth rate in recent years has been chiefly owing to the fact that instead of celebrations of marriages becoming more numerous each year with the advance of population, they have been actually fewer than they were several years ago.

The natural addition to the population from the excess of births over deaths was 4,991. Of the total births registered 4,841 were male births and 4,556 female, the proportion of the former to 100 of the latter being 106·26. In England, according to recent returns, the proportion for the five years ended with 1898 was 103·50, while the latest “Victorian Year Book” gives 104·33 as the mean ratio for the Australasian colonies, taken as a whole, the calculation being based on the returns for the four years 1890-93.

In the first quarter of 1899 the births registered in the colony numbered 2,226, in the second 2,542, in the third 2,492, and in the fourth 2,137, the births of the second and third quarters being, according to the almost invariable rule, more numerous than those of the first and last.

By

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australasian colonies, the different parts of the United Kingdom, and several other countries.

Illegitimate Births.—The births entered in 1899 as illegitimate numbered 371 (197 males and 174 females), against 324 in the previous year. The percentage of illegitimate births to the total births registered during the year was 3·95.

The following table shows the percentages in the seven Australasian colonies and the different parts of the United Kingdom in the years specified:—

	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	Mean.
South Australia	2·50	2·93	2·93	2·84	3·05	3·13	3·46	3·53	3·62	3·95	3·19
New South Wales ..	5·26	5·36	5·72	6·22	6·26	6·51	6·70	6·58	6·93	7·16	6·27
Victoria	5·09	5·36	5·59	5·46	5·51	5·33	5·63	5·41	5·33	5·49	5·42
Queensland	4·85	4·65	5·05	4·91	4·52	4·93	5·22	6·02	6·03	5·97	5·22
Western Australia ..	—	—	5·89	4·16	4·66	4·47	5·61	5·27	4·99	4·91	5·00
Tasmania	4·05	4·05	4·75	4·40	5·09	4·97	5·91	5·74	5·09	6·07	5·01
New Zealand	3·30	3·49	3·32	3·70	3·80	4·50	4·48	4·48	4·23	4·40	3·97
England and Wales..	4·4	4·2	4·2	4·2	4·3	4·2	4·2	4·2	4·2	—	4·23
Ireland	2·7	2·7	2·5	2·6	2·7	2·7	2·6	2·6	2·7	—	2·64
Scotland	7·60	7·66	7·40	7·45	7·28	7·23	7·19	6·97	6·81	—	7·29

For the convenience of reference and of comparison the South Australian rates of illegitimacy for nineteen years are here appended:—

1881.....	2·25	1892.....	2·93
1882.....	2·25	1893.....	2·84
1883.....	1·75	1894.....	3·05
1884.....	2·10	1895.....	3·13
1885.....	2·42	1896.....	3·46
1886.....	2·38	1897.....	3·53
1887.....	2·49	1898.....	3·62
1888.....	2·67	1899.....	3·95
1889.....	2·47		
1890.....	2·50	Mean of nineteen years.....	2·77
1891.....	2·93		

DEATHS.

The deaths registered in 1899 numbered 4,406, being fewer by 269 than those of the previous year. The deaths of males were 2,362 and of females 2,044, the proportion of the former to 100 of the latter being 115·56, which was greater by 9·30 than the proportion of male to female births. Of the total number of deaths recorded in the year 1,115 were registered in the first quarter, 1,137 in the second, 898 in the third, and 1,256 in the fourth, the mortality of the first half of the year being, as most commonly happens, greater than that of the last, though in the present instance the difference was but little. The death rate per 1,000 of the mean population was 12·69. It was lower by 0·37 than that of 1898. It may be stated here that in every one of the fifteen years (1885–99) the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the other Australasian colonies, the different parts of the United Kingdom, and several other countries.

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1899 and the previous year were as follows:—

	1898.	1899.
I. Specific febrile or zymotic diseases	772	777
II. Parasitic diseases	7	12
III. Dietetic diseases.....	42	23
IV. Constitutional diseases	663	683
V. Developmental diseases.....	541	482
VI. Local diseases.....	2,006	1,898
VII. Violence	318	288
VIII. Ill-defined and not specified causes.....	326	243

It will be seen from this that, comparing the causes of death in the two years by classes, there were in 1899 small numerical increases in the first, second, and fourth classes, and considerable decreases in the other five classes.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

Scarlet Fever, Measles.—There were 16 deaths from scarlet fever, against 15 in 1898, and 27 deaths from measles, against 54 in 1898.

Whooping Cough.—There were 106 deaths from whooping cough, against 112 in 1898.

Enteric

Enteric Fever.—The deaths from enteric or typhoid fever numbered 111 (57 males and 54 females), being fewer by 34 than those registered in 1898.

The following table shows the death rates from this disease per 1,000 of the mean population for the last eighteen years:—

1882.....	0·51	1892.....	0·26
1883.....	0·46	1893.....	0·18
1884.....	0·44	1894.....	0·23
1885.....	0·43	1895.....	0·20
1886.....	0·31	1896.....	0·26
1887.....	0·47	1897.....	0·30
1888.....	0·35	1898.....	0·40
1889.....	0·42	1899.....	0·31
1890.....	0·30		
1891.....	0·23	Mean of eighteen years.....	0·34

For comparison it may be stated that in England, according to the recent returns of the Registrar-General, the rate in 1898 was only 0·18, and the mean annual rate for the quinquennium ended with that year 0·17, while in the Australasian colonies the rates in 1898 were as follows:—

1 Western Australia.....	1·75	5 Queensland.....	0·30
2 Tasmania.....	0·47	6 New South Wales.....	0·29
3 Victoria.....	0·47	7 New Zealand.....	0·16
4 South Australia.....	0·40		

It would seem, therefore, that in reference to enteric fever the colonies, taken collectively, compare somewhat unfavorably with England. Only 3 of the deaths from enteric fever in 1899 were of children under 5 years of age, and only 6 of persons over 45.

In the annual report for 1889 it was stated that “As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths.” For similar reasons minute details of such distribution are not given in this present report; but it may be stated that 45 of the deaths occurred in the four districts forming “Adelaide and suburbs” (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 3 in the districts south of Adelaide district, and the remaining 63 in the other parts of the colony.

It is noteworthy how very few deaths from this disease occur in all that portion of the colony which lies south of the district of Adelaide. From 1887 to 1899 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, and 3.

The deaths from enteric fever in 1899 were distributed over the whole year, though the mortality from it during the first six months was much greater than that during the remainder of the year.

Diphtheria, Croup.—The deaths from diphtheria numbered 40 (20 males and 20 females), being more by 2 than those registered in 1898 and being the highest number recorded in any of the last five years. The proportion of deaths from this disease per 1,000 of the mean population was 0·11. Only 5 of the deaths were of persons over 10 years of age. Judging from the returns of several years, it would seem that though no age protects a person from liability to an attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from this disease 20 were registered in the four districts forming “Adelaide and suburbs,” 2 in the districts south of Adelaide district, and the remaining 18 in the other parts of the colony.

Both in the colonies and in England there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Occasionally, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1899 numbered 9 (7 males and 2 females), against 14 in the previous year.

Influenza, or la Grippe.—The deaths from influenza in 1899 numbered 218 (114 males and 104 females), against 33 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the colony but very little.

The mortality from influenza was far greater in 1899 than in any previous year. The deaths were distributed over the whole year, but were most numerous in October and November. In the former month there were 117 deaths from influenza, and in the latter 68.

Phthisis.—The deaths from phthisis were 312 (169 males and 143 females), being fewer by 5 than the number registered in 1898. Of the total deaths from all causes 7·08 per cent. were attributed to phthisis, against 6·78 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0·86 against 0·89 in 1898.

The following table shows the proportions for the last fifteen years:—

1885.....	0·99	1894.....	1·04
1886.....	1·12	1895.....	0·96
1887.....	1·16	1896.....	0·88
1888.....	1·19	1897.....	0·87
1889.....	0·94	1898.....	0·89
1890.....	0·94	1899.....	0·86
1891.....	1·04		
1892.....	0·94	Mean of fifteen years.....	0·99
1893.....	1·01		

In England the proportion in 1898 was 1·32, being less than the mean annual rate (1·35) for the quinquennium ended with that year, and being the second lowest rate ever recorded there.

If the English and the South Australian rates for either 1898 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this colony yield exactly 6 deaths from phthisis would in England yield very nearly 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more

numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result; and, of course, this uncertainty affects more or less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1898 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·49 and 1·13 respectively; whilst in South Australia they were only 0·40 and 0·66 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 3·93 in England, and only 1·95 in this colony—that is to say, less than half. From these facts it will be evident that in reference to mortality from phthisis and the two other most destructive diseases of the lungs South Australia compares very favorably indeed with the mother country.

For comparison, the death rates from phthisis of the seven Australasian colonies in the year 1898 are here appended:—

Victoria.....	1·30	New Zealand	0·81
South Australia	0·89	Tasmania	0·72
Queensland	0·85	Western Australia	0·67
New South Wales	0·82		

Cancer.—The deaths from cancer (including all malignant new growths) numbered 203 (104 males and 99 females), being more by 19 than those registered in 1898, and being the greatest number ever recorded in one year. The proportion of deaths from this disease per 1,000 of the mean population was 0·56, against 0·51 in the previous year.

For the last fifteen years the rates were as follows:—

1885.....	0·32	1894.....	0·47
1886.....	0·34	1895.....	0·48
1887.....	0·36	1896.....	0·53
1888.....	0·38	1897.....	0·52
1889.....	0·43	1898.....	0·51
1890.....	0·41	1899.....	0·56
1891.....	0·49		
1892.....	0·45	Mean of fifteen years.....	0·45
1893.....	0·51		

In England the proportion in 1898 was 0·80, which was above the mean annual rate (0·76) for the quinquennium ended with that year, and was in fact the highest rate ever recorded there. For comparison the rates of the seven Australasian colonies for the year 1898 are here appended:—

Victoria.....	0·74	South Australia	0·51
New Zealand ..	0·64	Queensland	0·46
Tasmania	0·57	Western Australia	0·32
New South Wales	0·54		

All the deaths in South Australia in 1899 from cancer, except 10, were of persons over 30 years of age.

In England the mortality from cancer has always been very much less amongst the male than amongst the female portion of the population. For instance, in the quinquennium ended with 1898 the average annual death rates there from this disease, per 1,000 of the mean population of each sex, were 0·61 and 0·91 respectively. In this colony, however, though the difference is but little, the average rate of male mortality is the higher of the two, as the following table will show:—

Year.	Male Rate.	Female Rate.
1893	0·51	0·51
1894	0·47	0·47
1895	0·48	0·47
1896	0·55	0·51
1897	0·59	0·45
1898	0·52	0·51
1899	0·55	0·57
Mean.....	0·52	0·50

Diseases and Accidents of Pregnancy and Childbirth.—The deaths ascribed to these causes, including puerperal fever, were 40, against 60 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 4·26 against 6·71 in 1898. The following table shows the proportions in this colony, Victoria, and England in the years specified:—

	South Australian Rate.	Victorian Rate.	English Rate.
1882	6·46	6·58	5·09
1883	4·39	5·74	5·06
1884	4·14	7·04	4·79
1885	4·40	5·61	4·98
1886	3·22	6·23	4·29
1887	4·99	5·27	4·69
1888	4·09	5·42	4·73
1889	2·81	4·48	4·05
1890	3·67	5·30	4·89
1891	5·68	4·99	5·24
1892	4·36	4·63	5·78
1893	5·24	4·90	6·51
1894	4·01	5·31	5·36
1895	4·56	—	4·57
1896	7·79	—	4·98
1897	4·09	—	4·61
1898	6·71	—	4·41
1899	4·26	—	—
Mean.....	4·72	5·50	4·94

Infantile Mortality.—The deaths of infants under 1 year of age numbered 1,049 (596 males and 453 females), against 1,251 in 1898, and were in the proportion of 11·16 to 100 births registered. From 1885 to 1899 the proportions were as follows:—

1885.....	11·34	1893.....	11·65
1886.....	12·61	1894.....	9·39
1887.....	11·12	1895.....	9·49
1888.....	9·59	1896.....	10·14
1889.....	9·42	1897.....	10·91
1890.....	9·65	1898.....	13·99
1891.....	9·09	1899.....	11·16
1892.....	9·69		

The most recent returns give the proportions in the other Australasian colonies as follows:—

Western Australia	1899 ..	13·99	Victoria	1899 ..	11·42
New South Wales.....	1899 ..	11·87	Queensland	1899 ..	10·94
Tasmania	1899 ..	11·62	New Zealand.....	1899 ..	9·59

On the whole the colonies stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·50 in 1879, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1898 the mean annual proportion in England was 15·24.

MARRIAGES.

The marriages registered in 1899 numbered 2,265, being more by 51 than those of the previous year, and being the highest number recorded in any year since 1891. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 6·24, against 6·18 in 1898. The marriages celebrated in the first quarter numbered 545, in the second 587, in the third 569, and in the fourth 564.

By means of the tabular statement which has been already referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the other Australasian colonies, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement:—

Church of England	464	Church of Christ	68
Wesleyan	334	Christian Brethren	27
Roman Catholic	267	Salvation Army	19
Primitive Methodist	183	Free Presbyterian	5
Bible Christian.....	178	City Mission	4
Officiating Registrars	160	Jewish	3
Lutheran	140	Seventh Day Adventist	3
Baptist	123	Moravian	1
Congregationalist.....	109	Unitarian	1
Presbyterian.....	106		
Registrar-General, Deputy Registrar, and District Registrars	70		

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variation year after year from 1881 to 1899 in such rates and values in South Australia:—

Year.	Marriage Rate per 1,000 of Mean Population.	Value per Head of Mean Population.		
		Imports Retained for Home Consumption.	Exports of South Australian Produce.	Imports and Exports United.
		£ s. d.	£ s. d.	£ s. d.
1881.....	8·31	16 1 3	13 2 5	29 3 8
1882.....	8·87	19 8 4	14 13 9	34 2 1
1883.....	8·64	16 14 5	11 17 4	28 11 9
1884.....	8·42	14 11 2	17 8 10	32 0 0
1885.....	7·93	13 15 11	14 4 2	28 0 1
1886.....	6·51	10 9 11	9 5 11	19 15 10
1887.....	6·48	10 4 0	10 19 5	21 3 5
1888.....	6·82	10 3 0	15 5 9	25 8 9
1889.....	6·69	10 10 4	11 19 10	22 10 2
1890.....	7·17	12 6 11	14 3 2	26 10 1
1891.....	7·31	13 0 11	14 16 0	27 16 11
1892.....	6·51	8 12 8	9 18 9	18 11 5
1893.....	6·27	8 4 5	9 15 11	18 0 4
1894.....	6·09	6 12 3	9 14 10	16 7 1
1895.....	5·88	5 11 8	10 3 0	15 14 8
1896.....	6·20	8 1 3	9 5 10	17 7 1
1897.....	5·51	7 11 9	7 0 6	14 12 3
1898.....	6·18	5 4 9	6 18 11	12 3 8
1899.....	6·24	6 14 6	10 17 4	17 11 10

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years

are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for fourteen years, in each instance the births compared being for the year given and the marriages for the year before:—

1886	4·46	1894	4·81
1887	5·34	1895	4·87
1888	5·17	1896	4·72
1889	4·83	1897	4·72
1890	4·90	1898	4·42
1891	4·66	1899	4·08
1892	4·42		
1893	4·90	Mean	4·74

It would seem from these figures that 4·74 is the average number of children born in South Australia to each marriage. This is above the average in England and Scotland, and below that in Ireland. It will be seen, however, that during the last few years the proportion in South Australia has been showing a downward tendency.

According to the “Victorian Year Book,” 1894, which is the latest issue of that work published, the average proportions in the other Australasian colonies were as follows:—

New Zealand	5·16	New South Wales	4·70
Western Australia	4·82	Queensland	4·62
Tasmania	4·75	Victoria	4·19

GENERAL RESULTS OF THE YEAR FOR THE COLONY.

Viewed as a whole, 1899 was not an unfavorable year. It showed at all events a good deal of improvement in comparison with 1898, for its birth and marriage rates were higher and its death rate was lower, while its increase in population was considerably greater.

ADELAIDE AND SUBURBS.

As explained in the annual report for 1888, by “Adelaide and Suburbs” is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide, nine corporate towns and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1899, was 149,672 (73,332 males and 76,340 females), being more by 2,056 than the estimated population at the beginning of the year. The estimated mean population was 148,644 (72,510 males and 76,134 females). The births registered during the year numbered 4,165 (2,146 males and 2,019 females), being more by 238 than those recorded in 1898. The birth rate per 1,000 of the mean population was 28·02, against 26·74 in the previous year. It was higher by 2·13 than that of the whole colony, and higher by 1·24 than the birth rate of the city of Adelaide taken by itself. The deaths registered in Adelaide and suburbs in 1899 numbered 2,260 (1,162 males and 1,098 females), being fewer by 282 than those recorded in the previous year. The death rate per 1,000 of the mean population was 15·20, against 17·31 in 1898. It was higher by 2·51 than that of the whole colony, but lower by 7·93 than the death rate of the city of Adelaide taken by itself—that is, the city death rate, including all deaths in public institutions.

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified, that is, the proportion of deaths of children under 1 year of age to 100 births registered:—

1886	15·75	1893	12·59
1887	13·68	1894	10·60
1888	11·58	1895	12·16
1889	11·58	1896	12·19
1890	11·95	1897	13·35
1891	11·88	1898	16·81
1892	11·79	1899	11·79

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole colony shown in a previous table.

For comparison, the birth and death rates (inclusive, at least as far as the colonial cities are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the capital cities and suburbs of the colonies and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the colonial capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different colonies:—

Births, 1899. Deaths, 1899.			Births, 1899. Deaths, 1899.		
Adelaide	28·02	15·20	Greater London	29·0	18·3
Melbourne	26·16	15·39	Manchester	32·6	24·6
Sydney	28·29	12·74	Liverpool	35·6	26·4
Brisbane	29·72	12·00	Birmingham	34·3	20·8
Perth	37·01	19·12	Leeds	30·6	19·1
Hobart	20·52	14·04	Edinburgh	27·6	19·6
Wellington	24·97	10·86	Glasgow	33·1	21·6

There were 1,255 marriages celebrated in Adelaide and suburbs in 1899. The marriage rate (that is the rate of marriages, not of persons married) per 1,000 of the mean population was 8·44, which was greater by 2·20 than the marriage rate for the whole colony.

CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1899 was 41,005 (19,829 males and 21,176 females), being an increase of 368 for the whole year. The births registered in 1899 numbered 1,093, being more by 107 than those of the previous year; and the deaths 944, being fewer by 96 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The statistical authorities of the different colonies do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended under the description "public," some giving a much wider meaning to the term "public institutions" than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large colonial towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions:—

	Births, 1899.	Deaths, 1899.		Births, 1899.	Deaths, 1899.
Ad-laide.....	26·78	23·13	Brisbane.....	29·12	14·33
Melbourne.....	29·21	27·82	Hobart.....	20·88	12·04
Bendigo.....	38·71	25·99	Wellington.....	24·24	11·16
Ballarat.....	31·34	22·49	Dunedin.....	20·82	13·47
Geelong.....	34·92	25·78	Auckland.....	25·77	13·02
Sydney.....	29·42	17·69			

The marriages celebrated in the city of Adelaide in 1899 numbered 677. The marriage rate (that is the rate of marriages, not of persons married) per 1,000 of the mean population was 16·58. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points of view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in the colony—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1899, for instance, the *gross* death rate of Adelaide reached 23·13 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital and two other public institutions of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 18·64. Further, if, *as far as they can be ascertained* from the registration entries, the deaths in private hospitals and the Children's Hospital of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 17·05. As persons registering deaths are not obliged to name the buildings in which they have occurred, it is of course not possible to find out by an inspection of the entries all the deaths in the city that have happened in private hospitals, lying-in homes, and similar places. But even if this were possible it would further be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences and ordinary lodging-houses of persons who came or were brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the remainder of the colony, has so high a death record will, perhaps, be more apparent and more readily admitted, if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the nine suburban municipalities taken collectively, and yet in 1899 the combined gross death rate of these towns was only 11·85.

CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-four corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows:—

	Births, 1899.	Deaths, 1899.
Municipality of Adelaide.....	26·78	23·13
Nine suburban corporate towns.....	27·60	11·85
Fourteen outside corporate towns.....	32·64	16·42
The twenty-four towns collectively.....	28·50	16·18

It may be as well to explain here that as several years have elapsed since the last census was taken, and as in the intervening time a great deal of alteration has taken place in the local distribution of the people, the estimates of city and town populations now made by the officers of this department are necessarily more or less problematical, and of course the degree of accuracy that can be claimed for the birth and death rates given is, in consequence, considerably lessened. It is not, unfortunately, in the power of this department to remedy this defect, and if the different municipal authorities desire to obtain correct local statistics they should adopt the simple plan of counting their people every two or three years.

As an illustration of the difficulty of estimating town populations in intercensal periods it may be mentioned that the last census in England showed that the population of Liverpool had been over-estimated by more than 103,000, and that of Salford by over 52,000, while, on the contrary, the populations of Portsmouth and Newcastle had been under-estimated by more than 15,000 and more than 22,000 respectively.

NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of aborigines) in the year 1899:—

	Males.	Females.	Persons.
Estimated population, January 1st, 1899.....	4,494	409	4,903
Births during the year.....	11	14	25
Immigration during the year.....	391	70	461
	4,896	493	5,389
Deaths during the year.....	66	6	72
	4,830	487	5,317
Emigration during the year.....	318	54	372
Estimated population, December 31st, 1899.....	4,512	433	4,945
Estimated mean population of the year.....	4,519	416	4,935

The following table shows the estimated population (exclusive of aborigines) divided into persons of European race and those of other races :—

	Males.		Females.		Total.
Europeans—January 1st, 1899.....	1,132	322	1,454
“ December 31st, 1899	1,115	334	1,449
Asiatics (chiefly Chinese) and others—Jan. 1st, 1899	3,362	87	3,449
“ “ “ Dec. 31st, 1899.....	3,397	99	3,496

The births registered in 1899 numbered 25 (11 males and 14 females), and the deaths 72 (66 males and 6 females). Of these the European births were 16 (6 males and 10 females), and the European deaths 21 (18 males and 3 females). There were 11 marriages.

The general birth rate per 1,000 of the mean population was 5·07 ; the death rate, 14·59 ; and the marriage rate, 2·23. The European birth rate per 1,000 of the mean European population was 10·98 ; and the death rate, 14·41. No inference, however, of statistical value can be drawn from these rates, owing to the smallness of the numbers dealt with, and the abnormal state of the population in regard to the distribution of sex and of age.

The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

Causes of Death.	All Ages.			Under 1 Year.	1—5.	5—10.	10—20.	20—40.	40—60.	60—80.	80 and Up- wards.	Not Stated.
	Total.	M.	F.									
	72	66	6	7	—	—	1	26	32	5	—	1
Fevers, malarial diseases	5	4	1	—	—	—	1	2	2	—	—	—
Syphilis	1	1	—	—	—	—	—	1	1	—	—	—
Starvation	1	1	—	—	—	—	—	—	1	—	—	—
Alcoholism	2	2	—	—	—	—	—	—	2	—	—	—
Phthisis	6	6	—	—	—	—	—	4	2	—	—	—
Anæmia	1	1	—	—	—	—	—	—	1	—	—	—
Old age	3	3	—	—	—	—	—	—	—	3	—	—
Apoplexy	2	1	1	—	—	—	—	—	2	—	—	—
Tumor on brain	1	1	—	—	—	—	—	1	—	—	—	—
Convulsions	4	2	2	4	—	—	—	—	—	—	—	—
Heart diseases	3	3	—	—	—	—	—	2	1	—	—	—
Asthma	1	1	—	—	—	—	—	—	—	—	—	1
Bronchitis	2	1	1	1	—	—	—	—	1	—	—	—
Pneumonia	1	1	—	—	—	—	—	—	1	—	—	—
Obstruction of intestine	1	—	1	1	—	—	—	—	—	—	—	—
Peritonitis	1	1	—	—	—	—	—	1	—	—	—	—
Bright's disease	1	1	—	—	—	—	—	—	—	1	—	—
Accidental fracture and contusion	3	3	—	—	—	—	—	1	2	—	—	—
Accidental drowning	2	2	—	—	—	—	—	1	—	1	—	—
Lightning	1	1	—	—	—	—	—	—	1	—	—	—
Opium smoking	3	3	—	—	—	—	—	1	2	—	—	—
Gunshot wound (suicidal).....	1	1	—	—	—	—	—	1	—	—	—	—
Murder	2	2	—	—	—	—	—	1	1	—	—	—
Undefined or ill-defined	24	24	—	1	—	—	—	11	12	—	—	—

AREA OF SOUTH AUSTRALIA.

	Acres.	Square Miles.
South Australia proper	243,244,800	380,070
Northern Territory	335,116,800	523,620
Total	578,361,600	903,690

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Australasian colonies, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different colonies named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from

from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries :—

		Births.	Deaths.	Marriages.
South Australia	1899	25·89	12·69	6·24
Victoria	1899	26·71	14·48	7·01
New South Wales	1899	27·10	11·82	6·89
Queensland	1899	27·31	12·07	6·78
Western Australia	1899	30·64	13·76	9·89
Tasmania	1899	25·98	12·25	6·37
New Zealand	1899	25·12	10·24	7·28
United Kingdom (as a whole)	1898	28·9	17·7	7·70
England and Wales	1898	29·4	17·6	8·15
Ireland	1898	23·2	18·1	4·95
Scotland	1898	30·8	18·4	7·55
France	1898	22·1	21·2	7·50
The German Empire	1898	36·2	20·6	8·45
Prussia separately	1898	36·8	20·1	8·45
Austria	1898	36·2	24·9	7·85
Italy	1898	34·4	22·6	7·10
Switzerland	1898	29·4	18·9	8·00
Belgium	1898	28·8	17·4	8·27
The Netherlands	1898	31·9	17·0	7·30
Norway	1898	30·3	15·2	7·00
Hungary	1898	37·7	27·9	8·30
Sweden	1897	26·7	15·4	6·05

The rates of other European countries (Denmark, Spain, &c.) have not been given in this table, because in the returns accessible they are not calculated on mean populations, and no data are given by means of which this defect could be remedied. The deaths of French persons abroad, civil and military, are registered in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the fourth lowest birth rate, the third lowest marriage rate, and the fifth lowest death rate. If, however, the seven Australasian colonies alone are considered, South Australia shows the second lowest birth rate, the lowest marriage rate, and the fifth lowest death rate.

The following table shows the revised estimates of the populations of the Australasian colonies published by the Government Statistician of New South Wales after the conference of statisticians held in Sydney last February had completed its labors. The numbers are *exclusive of the aborigines*, with the following exceptions :—In the case of Victoria 500 are included, and in that of New South Wales 8,250, while over 2,000 half-castes living as Europeans are included in the case of New Zealand :—

ESTIMATED POPULATION, DECEMBER 31ST, 1899.			
	Males.	Females.	Total.
New South Wales	729,005	627,645	1,356,650
Victoria	580,600	582,800	1,163,400
Queensland	267,340	215,060	482,400
South Australia (inclusive of 4,945 in Northern Territory)	194,560	176,140	370,700
Western Australia	112,290	58,740	171,030
Tasmania	98,640	83,660	182,300
New Zealand	398,680	357,820	756,500
	2,381,115	2,101,865	4,482,980

I have, &c.,
G. H. AYLIFFE, Registrar-General of Births, &c.

The Hon. the Chief Secretary.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1899.

Month.	Thermometer—Fahr. (in shade).			Barometer.			Rain.		Deaths from all Causes.										
									Ages.						Including Deaths from				
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.	Total Fall.	No. of Days Rain Fell.	All Ages.	Under 1 Year.	1—5.	5—60.	60—80.	80 and Upwards.	Diphtheria.	Enteric Fever.	Diarrhoea and Dysentery.	All Tubercular Diseases.	Diseases of Respiratory System.
January ...	105·1	48·9	67·0	in. 30·178	in. 29·090	in. 29·772	1·004	10	92	13	7	44	24	4	—	6	2	10	6
February ...	113·6	50·0	78·5	30·210	29·455	29·842	1·502	7	63	10	4	34	10	5	—	3	4	7	2
March	103·3	51·4	72·1	30·184	29·463	29·868	1·264	7	73	12	7	40	12	2	1	4	6	9	5
April	90·9	45·8	64·8	30·222	29·650	29·949	2·072	9	64	13	9	27	14	1	—	3	7	4	2
May	76·7	39·9	56·7	30·413	29·508	30·026	2·361	11	78	14	5	46	11	2	2	6	3	13	2
June	66·5	37·8	53·4	30·396	29·440	29·962	3·037	19	73	18	1	36	15	3	—	1	—	12	5
July	68·1	35·6	49·0	30·567	29·675	30·136	0·365	7	73	8	2	43	12	8	1	1	1	15	5
August ...	77·8	36·6	53·8	30·368	29·825	30·088	1·592	8	65	12	8	25	17	3	1	—	1	7	8
September.	81·6	39·1	57·9	30·521	29·712	30·161	1·875	14	72	9	3	37	20	3	3	—	—	11	11
October	94·1	36·9	61·6	30·462	29·320	29·933	1·226	12	137	7	7	60	42	21	2	—	1	10	17
November .	97·2	44·9	67·0	30·060	29·355	29·774	1·958	11	70	18	—	34	15	3	—	—	4	12	4
December..	109·6	48·9	72·0	30·224	29·340	29·860	0·588	4	84	19	2	38	19	6	—	—	3	11	9
Totals	18·844	119	944	153	55	464	211	61	10	24	32	121	76

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

G. H. AYLIFFE, Registrar-General of Births, &c.

APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No. 1.—RETURN showing the Number of Births, Marriages, and Deaths which were registered in the Province (exclusive of the Northern Territory) in the Year 1899, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

Districts.		Total Number of—			Proportion to every Thousand of the Mean Population of—		
		Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
Metropolitan	City of Adelaide	1,093	677	944	26·78	16·58	23·13
	Suburbs “	3,072	578	1,316	28·49	5·36	12·21
Total Metropolitan		4,165	1,255	2,260	28·02	8·44	15·20
Extra-Metropolitan		5,232	1,010	2,146	24·41	4·71	10·01
Total South Australia.....		9,397	2,265	4,406	25·89	6·24	12·69

No. 2.—DECENNIAL RETURN showing the proportion of Births, Marriages and Deaths in the Province (exclusive of the Northern Territory) to the estimated Mean Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1890	33·27	7·17	12·59
1891	33·92	7·31	13·30
1892	32·41	6·51	11·41
1893	31·76	6·27	13·44
1894	30·49	6·09	11·64
1895	30·23	5·88	11·25
1896	28·46	6·20	11·48
1897	26·97	5·51	11·24
1898	24·98	6·18	13·06
1899	25·89	6·24	12·69

BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in the Province (exclusive of the Northern Territory) in each Quarter of the Year 1899, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022
Deaths.....	4,406	2,362	2,044	1,115	610	505	1,137	636	501	898	458	440	1,256	658	598
Excess of Births over Deaths..	4,991	2,479	2,512	1,111	519	592	1,405	680	725	1,594	823	771	881	457	424

No. 4.—RETURN showing the Number of Births and Deaths Registered in the Province (exclusive of the Northern Territory) in each Month of the Year 1899.

Month.	Births.			Deaths.		
	Total.	Males.	Females.	Total.	Males.	Females.
January	766	375	391	437	247	190
February	690	372	318	351	186	165
March.....	770	382	388	327	177	150
April	766	390	376	369	200	169
May	919	469	450	392	213	179
June	857	457	400	376	223	153
July	814	434	380	290	149	141
August	870	440	430	308	152	156
September	808	407	401	300	157	143
October	719	382	337	469	248	221
November	735	376	359	432	222	210
December	683	357	326	355	188	167
Total	9,397	4,841	4,556	4,406	2,362	2,044

No. 5.—COMPARATIVE RETURN showing the number of Births and Deaths Registered in the Province (exclusive of the Northern Territory) in each Month of the Years 1898 and 1899.

MONTHS.	BIRTHS.						CLASS.	DEATHS.								
	1898.			1899.				Causes of Death.	1898.			1899.				
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.		
January ...	395	388	783	375	391	766		All causes	282	224	506	247	190	437		
							I.	Zymotic diseases	46	34	80	48	45	93		
							II.	Parasitic diseases	—	—	—	—	1	—		
							III.	Dietic diseases	4	1	5	—	—	—		
							IV.	Constitutional diseases	26	44	70	41	24	65		
							V.	Developmental diseases	20	25	45	19	21	40		
							VI.	Local diseases	118	82	200	103	77	180		
							VII.	Violence	47	28	75	21	7	28		
							VIII.	Ill-defined or not specified causes ..	21	10	31	15	15	30		
February...	331	316	647	372	318	690		All causes	216	184	400	186	165	351		
							I.	Zymotic diseases	33	43	76	31	33	64		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	5	1	6	1	1	2		
							IV.	Constitutional diseases	31	29	60	29	27	56		
							V.	Developmental diseases	22	18	40	19	22	41		
							VI.	Local diseases	87	69	156	78	58	136		
							VII.	Violence	24	15	39	18	13	31		
							VIII.	Ill-defined or not specified causes ..	13	9	22	10	11	21		
March	439	420	859	382	388	770		All causes	232	176	408	177	150	327		
							I.	Zymotic diseases	42	33	75	26	38	64		
							II.	Parasitic diseases	—	—	—	1	—	1		
							III.	Dietic diseases	1	2	3	2	—	2		
							IV.	Constitutional diseases	28	21	49	27	30	57		
							V.	Developmental diseases	25	20	45	16	12	28		
							VI.	Local diseases	90	80	176	77	52	129		
							VII.	Violence	16	4	20	18	6	24		
							VIII.	Ill-defined or not specified causes ..	24	16	40	10	12	22		
April.....	346	366	712	390	376	766		All causes	249	189	438	200	169	369		
							I.	Zymotic diseases	49	31	80	32	28	60		
							II.	Parasitic diseases	—	1	1	—	—	—		
							III.	Dietic diseases	3	3	6	2	1	3		
							IV.	Constitutional diseases	38	31	69	28	22	50		
							V.	Developmental diseases	28	20	48	22	20	42		
							VI.	Local diseases	94	80	174	86	83	169		
							VII.	Violence	18	4	22	15	4	19		
							VIII.	Ill-defined or not specified causes ..	19	19	38	15	11	26		
May	433	364	797	469	450	919		All causes	205	152	357	213	179	392		
							I.	Zymotic diseases	21	32	53	38	44	82		
							II.	Parasitic diseases	—	1	1	3	—	3		
							III.	Dietic diseases	2	1	3	3	1	4		
							IV.	Constitutional diseases	19	18	37	36	24	60		
							V.	Developmental diseases	27	17	44	27	14	41		
							VI.	Local diseases	102	62	164	87	77	164		
							VII.	Violence	12	6	18	9	6	15		
							VIII.	Ill-defined or not specified causes ..	22	15	37	10	13	23		
June	392	424	816	457	400	857		All causes	190	171	361	223	153	376		
							I.	Zymotic diseases	13	23	36	22	28	50		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	—	5	5	2	—	2		
							IV.	Constitutional diseases	34	24	58	30	28	58		
							V.	Developmental diseases	35	21	56	19	18	37		
							VI.	Local diseases	90	86	176	87	60	147		
							VII.	Violence	10	3	13	45	11	56		
							VIII.	Ill-defined or not specified causes ..	7	9	16	18	8	26		
July	365	348	713	434	380	814		All causes	149	119	268	149	141	290		
							I.	Zymotic diseases	14	7	21	14	9	23		
							II.	Parasitic diseases	—	—	—	—	1	1		
							III.	Dietic diseases	2	—	2	—	—	—		
							IV.	Constitutional diseases	25	18	43	28	32	60		
							V.	Developmental diseases	18	27	45	20	19	39		
							VI.	Local diseases	67	53	120	66	70	136		
							VII.	Violence	14	6	20	12	3	15		
							VIII.	Ill-defined or not specified causes ..	9	8	17	9	7	16		
August.....	436	419	855	440	430	870		All causes	156	161	317	152	156	308		
							I.	Zymotic diseases	11	20	31	8	14	22		
							II.	Parasitic diseases	—	1	1	1	—	1		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	26	32	58	17	33	50		
							V.	Developmental diseases	21	24	45	25	17	42		
							VI.	Local diseases	77	68	146	77	78	155		
							VII.	Violence	13	5	18	16	8	24		
							VIII.	Ill-defined or not specified causes ..	8	10	18	8	6	14		
September	430	368	798	407	401	808		All causes	195	124	319	157	143	300		
							I.	Zymotic diseases	17	18	35	17	13	30		
							II.	Parasitic diseases	—	—	—	—	1	1		
							III.	Dietic diseases	2	—	2	3	—	3		
							IV.	Constitutional diseases	32	21	53	26	28	54		
							V.	Developmental diseases	30	9	39	13	21	34		
							VI.	Local diseases	91	64	155	73	69	142		
							VII.	Violence	13	4	17	10	8	18		
							VIII.	Ill-defined or not specified causes ..	10	8	18	15	3	18		
October ...	351	317	668	382	337	719		All causes	185	155	340	248	221	469		
							I.	Zymotic diseases	41	41	82	71	69	140		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	—	1	1	2	—	2		
							IV.	Constitutional diseases	31	19	50	27	29	56		
							V.	Developmental diseases	18	21	39	26	28	54		
							VI.	Local diseases	75	63	138	110	85	195		
							VII.	Violence	15	5	20	8	6	14		
							VIII.	Ill-defined or not specified causes ..	5	5	10	4	4	8		
November .	326	323	649	376	359	735		All causes	269	217	486	222	210	432		
							I.	Zymotic diseases	58	51	109	49	52	101		
							II.	Parasitic diseases	2	—	2	1	2	3		
							III.	Dietic diseases	2	—	2	2	—	2		
							IV.	Constitutional diseases	34	31	65	31	28	59		
							V.	Developmental diseases	21	20	41	26	21	47		
							VI.	Local diseases	114	87	201	92	91	183		
							VII.	Violence	15	10	25	15	8	23		
							VIII.	Ill-defined or not specified causes ..	23	18	41	6	8	14		
December	324	324	648	357	326	683		All causes	256	219	475	188	167	355		
							I.	Zymotic diseases	44	50	94	23	25	48		
							II.	Parasitic diseases	—	—	—	—	1	1		
							III.	Dietic diseases	4	3	7	3	—	3		
							IV.	Constitutional diseases	24	27	51	28	30	58		
							V.	Developmental diseases	30	24	54	17	20	37		
							VI.	Local diseases	108	92	200	87	75	162		
							VII.	Violence	23	8	31	13	8	21		
							VIII.	Ill-defined or not specified causes ..	23	15	38	17	8	25		

No. 6.—COMPARATIVE RETURN showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1898 and 1899.

MONTH.	BIRTHS.						CLASS.	DEATHS.								
	1898.			1899.				Cause of Death.	1898.			1899.				
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.		
January ...	40	60	100	45	46	91		All causes	47	38	85	53	39	92		
							I.	Zymotic diseases	6	4	10	7	9	16		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	1	—	1	—	—	—		
							IV.	Constitutional diseases	7	9	16	11	6	17		
							V.	Developmental diseases	5	7	12	5	5	10		
							VI.	Local diseases	14	13	27	27	16	43		
							VII.	Violence	9	5	14	1	1	2		
							VIII.	Ill-defined or not specified causes ..	5	—	5	2	2	4		
February...	31	30	61	40	36	76		All causes	55	42	97	33	30	63		
							I.	Zymotic diseases	5	9	14	3	8	11		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	1	—	1	—	—	—		
							IV.	Constitutional diseases	12	6	18	9	3	12		
							V.	Developmental diseases	6	3	9	4	5	9		
							VI.	Local diseases	18	18	36	14	12	26		
							VII.	Violence	6	4	10	3	—	3		
							VIII.	Ill-defined or not specified causes ..	6	2	8	—	2	2		
March	40	42	82	47	60	107		All causes	46	37	83	34	39	73		
							I.	Zymotic diseases	9	8	17	5	9	14		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	5	2	7	5	10	15		
							V.	Developmental diseases	8	4	12	6	2	8		
							VI.	Local diseases	20	16	36	17	15	32		
							VII.	Violence	1	1	2	1	—	1		
							VIII.	Ill-defined or not specified causes...	3	6	9	—	3	3		
April	41	44	85	47	37	84		All causes	43	48	91	39	25	64		
							I.	Zymotic diseases	7	3	10	7	4	11		
							II.	Parasitic diseases	—	1	1	—	—	—		
							III.	Dietic diseases	1	—	1	1	—	1		
							IV.	Constitutional diseases	9	14	23	7	4	11		
							V.	Developmental diseases	3	6	9	3	2	5		
							VI.	Local diseases	12	18	30	16	13	29		
							VII.	Violence	4	—	4	3	1	4		
							VIII.	Ill-defined or not specified causes ...	7	6	13	2	1	3		
May	47	43	90	54	44	98		All causes	43	38	81	45	33	78		
							I.	Zymotic diseases	2	4	6	10	8	18		
							II.	Parasitic diseases	—	1	1	1	—	1		
							III.	Dietic diseases	1	—	1	1	—	1		
							IV.	Constitutional diseases	7	7	14	13	6	19		
							V.	Developmental diseases	6	4	10	5	1	6		
							VI.	Local diseases	24	12	36	12	13	25		
							VII.	Violence	1	3	4	1	1	2		
							VIII.	Ill-defined or not specified causes ...	2	7	9	2	4	6		
June	46	39	85	58	48	106		All causes	52	35	87	41	32	73		
							I.	Zymotic diseases	3	5	8	2	3	5		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	—	2	2	—	—	—		
							IV.	Constitutional diseases	14	4	18	10	9	19		
							V.	Developmental diseases	9	4	13	5	4	9		
							VI.	Local diseases	19	17	36	17	13	30		
							VII.	Violence	4	—	4	1	1	2		
							VIII.	Ill-defined or not specified causes ...	2	3	5	6	2	8		
July	42	34	76	61	49	110		All causes	38	22	60	40	33	73		
							I.	Zymotic diseases	7	—	7	4	1	5		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	8	6	14	13	9	22		
							V.	Developmental diseases	3	6	9	5	4	9		
							VI.	Local diseases	16	6	22	16	15	31		
							VII.	Violence	4	1	5	1	1	2		
							VIII.	Ill-defined or not specified causes ...	—	3	3	1	3	4		
August	63	52	115	49	42	91		All causes	44	36	80	32	33	65		
							I.	Zymotic diseases	2	3	5	1	4	5		
							II.	Parasitic diseases	—	—	—	1	—	1		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	7	7	14	5	9	14		
							V.	Developmental diseases	8	4	12	3	3	6		
							VI.	Local diseases	19	14	33	17	13	30		
							VII.	Violence	5	2	7	2	4	6		
							VIII.	Ill-defined or not specified causes ...	3	6	9	3	—	3		
September .	47	39	86	42	43	85		All causes	49	26	75	48	24	72		
							I.	Zymotic diseases	4	4	8	5	1	6		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	1	—	1	1	—	1		
							IV.	Constitutional diseases	9	6	15	12	6	18		
							V.	Developmental diseases	6	—	6	2	2	4		
							VI.	Local diseases	25	15	40	23	13	36		
							VII.	Violence	1	—	1	1	2	3		
							VIII.	Ill-defined or not specified causes ...	3	1	4	4	—	4		
October ...	36	31	67	40	38	78		All causes	41	41	82	68	60	128		
							I.	Zymotic diseases	10	18	28	19	21	40		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	8	3	11	6	8	14		
							V.	Developmental diseases	4	4	8	6	11	17		
							VI.	Local diseases	17	14	31	33	26	59		
							VII.	Violence	2	2	4	2	2	4		
							VIII.	Ill-defined or not specified causes ...	—	—	—	2	1	3		
November .	34	44	78	46	46	92		All causes	67	52	119	36	34	70		
							I.	Zymotic diseases	13	12	25	4	4	8		
							II.	Parasitic diseases	1	—	1	—	—	1		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	9	6	15	11	6	17		
							V.	Developmental diseases	5	3	8	2	3	5		
							VI.	Local diseases	30	21	51	16	15	31		
							VII.	Violence	1	3	4	3	1	4		
							VIII.	Ill-defined or not specified causes ...	8	7	15	—	3	3		
December...	29	32	61	43	32	75		All causes	50	50	100	41	43	84		
							I.	Zymotic diseases	8	4	12	3	6	9		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	1	2	3	1	—	1		
							IV.	Constitutional diseases	4	8	12	6	11	17		
							V.	Developmental diseases	8	6	14	3	7	10		
							VI.	Local diseases	21	24	45	23	16	39		
							VII.	Violence	3	1	4	1	1	2		
							VIII.	Ill-defined or not specified causes ...	5	5	10	4	2	6		

No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1895 to 1899, inclusive.

District.	Births.															Deaths.														
	1895.			1896.			1897.			1898.			1899.			1895.			1896.			1897.			1898.			1899.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
Adelaide	1,130	1,105	2,235	1,071	1,071	2,142	1,126	1,064	2,190	996	991	1,987	1,115	1,023	2,138	696	584	1,280	672	610	1,282	735	578	1,313	843	694	1,537	732	645	1,377
Willunga	26	34	60	22	24	46	22	21	43	29	21	50	25	19	44	17	13	30	9	13	22	9	9	18	17	7	24	22	10	32
Yankalilla	51	36	87	36	22	58	34	28	62	33	29	62	32	30	62	12	8	20	12	8	20	8	12	20	10	6	16	45	14	59
Encounter Bay	43	40	83	36	42	78	43	37	80	40	48	88	37	37	74	17	9	26	13	14	27	18	13	31	24	18	42	13	23	36
Strathalbyn	46	51	97	51	53	104	69	59	128	52	44	96	51	50	101	24	24	48	21	20	41	16	25	41	18	15	33	26	20	46
Robe	40	43	83	48	34	82	31	35	66	36	32	68	36	47	83	16	14	30	28	14	42	14	11	25	28	9	37	24	13	37
Grey	105	105	330	174	153	327	167	160	327	153	161	314	163	152	315	48	45	93	59	57	116	51	49	100	75	73	148	83	61	144
Wellington	92	93	185	82	86	168	80	73	153	75	77	152	91	75	166	18	12	30	16	17	33	14	11	25	24	22	46	22	16	38
Morphett Vale	94	72	166	58	64	122	46	42	88	42	42	84	43	40	83	19	19	38	12	24	36	17	8	25	9	8	17	16	16	32
Mount Barker	48	50	98	57	51	108	44	48	92	49	50	99	48	44	92	19	18	37	27	17	44	20	23	43	24	15	39	20	24	44
Nairne	106	77	183	100	83	183	88	91	179	93	99	192	87	75	162	40	38	78	16	28	44	36	31	67	44	47	91	27	35	62
Talunga	120	109	229	118	103	221	101	106	207	86	91	177	115	92	207	34	26	60	34	31	65	38	26	64	26	28	54	38	32	70
Highercombe	22	23	45	27	28	55	18	25	43	30	21	51	25	28	53	11	9	20	8	5	13	8	6	14	6	13	19	10	10	20
Port Gawler	73	82	155	69	58	127	70	58	128	63	45	108	74	54	128	29	24	53	28	25	53	28	20	48	24	23	47	21	21	42
Crawford	37	27	64	29	35	64	44	41	85	33	28	61	33	38	71	11	5	16	9	8	17	7	7	14	14	11	25	10	5	15
Barossa	113	125	238	102	117	219	114	105	219	87	109	196	102	122	224	46	35	81	48	46	94	47	45	92	47	36	83	54	47	101
Angaston	60	100	160	83	78	161	74	105	179	75	83	158	73	84	157	25	17	42	37	38	75	38	27	65	32	30	62	40	33	73
Kapunda	176	181	357	166	152	318	148	139	287	157	121	278	150	124	274	62	44	106	66	76	142	47	40	87	78	42	120	77	50	127
Gilbert	158	153	311	136	129	265	142	129	271	108	116	224	123	104	227	49	35	84	41	31	72	41	34	75	47	45	92	48	38	86
Burra	187	168	355	168	155	323	150	134	284	127	109	236	140	137	277	61	36	97	67	41	108	65	35	100	67	25	92	59	39	98
Clare	373	324	697	343	359	702	331	339	670	341	280	621	356	357	713	118	89	207	129	111	246	154	117	271	182	133	315	172	134	306
Flinders	93	71	164	76	81	157	90	73	163	72	71	143	101	78	179	31	25	56	20	12	32	18	16	34	23	11	34	19	15	34
Frome	517	513	1,030	439	459	898	416	371	787	397	371	768	376	370	746	120	92	212	148	125	273	167	107	274	203	127	330	142	168	250
Daly	424	392	816	414	412	826	405	358	763	361	379	740	392	357	749	168	132	300	151	134	285	142	112	254	183	163	346	201	165	366
Upper Wakefield	29	29	58	36	23	59	29	30	59	29	23	52	22	23	45	14	10	24	11	10	21	10	10	20	11	10	21	11	17	28
Port Adelaide	377	370	747	414	388	802	368	345	653	351	320	671	397	330	607	163	128	291	158	124	282	165	120	285	190	162	352	147	153	300
Hindmarsh	270	248	518	240	232	472	240	223	463	228	212	440	248	237	485	105	74	179	84	77	161	80	96	176	95	95	190	93	99	192
Norwood	504	452	956	490	435	925	451	415	866	425	404	829	416	429	845	192	191	383	197	201	398	199	193	392	240	223	463	190	201	391
Total	5,404	5,133	10,537	5,085	4,927	10,012	4,881	4,654	9,535	4,568	4,377	8,945	4,841	4,556	9,397	2,165	1,756	3,921	2,121	1,917	4,038	2,192	1,781	3,973	2,584	2,091	4,675	2,362	2,044	4,406

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1899 in the Province, (exclusive of the Northern Territory) and the Excess of Births over Deaths.

Districts.		Births.							Number of Deaths.	Excess of Births over Deaths.
		Total.	Registered in the Quarter ended the last day of—				Males.	Females.		
			March.	June.	Sept.	Dec.				
Metropolitan	City of Adelaide	1,093	274	288	286	245	572	521	944	149
	Suburbs of Adelaide	3,072	714	807	827	724	1,574	1,498	1,316	1,756
Extra-Metropolitan		5,232	1,238	1,447	1,379	1,168	2,695	2,537	2,146	3,086
Total.....		9,397	2,226	2,542	2,492	2,137	4,841	4,556	4,406	4,991

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in the Province (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Deaths.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1890	10,364	5,222	5,142	2,503	1,242	1,261	2,751	1,389	1,362	2,710	1,370	1,340	2,400	1,221	1,179	3,923	6,441
1891	10,737	5,481	5,256	2,314	1,205	1,109	2,774	1,423	1,351	3,037	1,558	1,479	2,612	1,295	1,317	4,211	6,526
1892	10,544	5,227	5,317	2,661	1,328	1,333	2,699	1,364	1,335	2,666	1,286	1,380	2,518	1,249	1,269	3,711	6,833
1893	10,683	5,444	5,239	2,500	1,270	1,230	2,813	1,458	1,355	2,929	1,489	1,440	2,441	1,227	1,214	4,520	6,163
1894	10,476	5,407	5,069	2,569	1,331	1,238	2,764	1,426	1,338	2,650	1,356	1,294	2,493	1,294	1,199	4,001	6,475
1895	10,537	5,404	5,133	2,590	1,320	1,270	2,771	1,439	1,332	2,772	1,410	1,362	2,404	1,235	1,169	3,921	6,616
1896	10,012	5,085	4,927	2,387	1,192	1,195	2,718	1,377	1,341	2,500	1,276	1,224	2,407	1,240	1,167	4,038	5,974
1897	9,535	4,881	4,654	2,339	1,201	1,138	2,361	1,198	1,163	2,556	1,338	1,218	2,279	1,144	1,135	3,973	5,562
1898	8,945	4,568	4,377	2,289	1,165	1,124	2,325	1,171	1,154	2,366	1,231	1,135	1,965	1,001	964	4,675	4,270
1899	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022	4,406	4,991

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in the Province (exclusive of the Northern Territory) in the Quarters of the Years—

		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Quarter ended	March 31	2,503	2,314	2,661	2,500	2,569	2,590	2,387	2,339	2,289	2,226
	June 30	2,751	2,774	2,699	2,813	2,764	2,771	2,718	2,361	2,325	2,542
	September 30	2,710	3,037	2,666	2,929	2,650	2,772	2,500	2,556	2,366	2,492
	December 31	2,400	2,612	2,518	2,441	2,493	2,404	2,407	2,279	1,965	2,137
Total		10,364	10,737	10,544	10,683	10,476	10,537	10,012	9,535	8,945	9,397

No. 11.—DECENNIAL RETURN showing the Number of Marriages celebrated in the Province (exclusive of the Northern Territory) in the Quarters of the Years—

		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
No. 38.	Quarter ended March 31.....	525	594	561	532	596	512	537	515	571	545
	June 30	582	628	563	556	493	570	584	508	588	587
	September 30	549	552	469	491	485	443	504	501	514	569
	December 31	579	541	526	531	520	523	558	425	541	564
	Total	2,235	2,315	2,119	2,110	2,094	2,048	2,183	1,949	2,214	2,265

No. 12.—DECENNIAL RETURN showing the Number of Marriages celebrated in the Province (exclusive of the Northern Territory).

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—																				Contracted between—							
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Congrega- tionalist.	Wesleyan.	Christian Brethren.	Church of Christ.	Free Presby- terian.	Baptist.	Bible Chris- tian.	Primitive Methodist.	Seventh Day Adventist.	Methodist New Connexion.	City Mission Church.	Friends.	Moravians.	Jews.	Unitarians.	Registrars.	Officiating Registrars.	New Jerusalem Church.	Salvation Army and C. Crusaders	Welsh Free Church.	Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.
1890	2,235	525	582	549	579	495	98	263	167	124	399	14	47	1	127	159	182	—	6	—	1	3	2	1	94	1	115	17	2	1,947	85	129	74
1891	2,315	594	628	552	541	407	13	298	159	117	418	11	53	1	148	163	148	—	12	—	1	4	3	6	103	—	125	22	1	2,029	76	136	74
1892	2,119	561	563	469	526	399	191	259	142	130	368	16	60	—	101	143	127	—	15	—	—	1	3	9	79	9	166	7	2	1,846	62	125	86
1893	2,110	532	550	491	531	404	12	240	143	120	341	14	51	2	121	195	156	—	5	—	—	1	5	4	112	7	5	16	3	1,823	71	148	68
1894	2,094	596	493	485	520	443	109	258	147	100	342	9	56	1	121	165	176	—	—	—	—	1	3	2	134	11	5	17	3	1,824	83	120	67
1895	2,048	512	570	443	523	417	84	272	140	121	313	10	67	—	106	161	202	—	—	—	—	3	3	8	104	6	6	24	7	1,781	78	136	53
1896	2,183	537	584	504	558	495	110	249	138	118	349	12	62	3	137	188	196	2	—	—	—	1	7	1	104	5	9	25	2	1,914	76	132	61
1897	1,949	515	508	501	425	404	87	200	132	117	286	11	77	2	138	147	162	—	—	—	—	1	—	—	97	6	61	21	—	1,709	69	107	64
1898	2,214	571	588	514	541	443	74	276	145	106	348	14	72	3	117	146	193	2	—	—	—	4	1	—	84	40	117	25	—	1,901	92	148	73
1899	2,265	545	587	569	564	494	106	267	140	109	334	27	68	5	123	178	183	3	—	4	—	1	3	1	70	160	—	—	—	1,978	90	141	56

No. 13.—RETURN showing the Number of Persons Married, at different Ages, in the Province (exclusive of the Northern Territory) in the Year 1899.

Ages	Under 20		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70 and up- wards.		Not stated.				Total.		
																									Full.		Under.				
																									M.	F.	M.	F.	M.	F.	M.
Celebrated in Quarter ended—																															
March 31.....																															
June 30																															
Sept. 30																															
Dec. 31.....																															
Total.....																															
Widowers and Spinsters																															
Widowers and Widows.....																															
Bachelors and Widows.....																															
Signatures by mark																															

No. 14.—RETURN showing the Number of Deaths registered in each Quarter of the Year 1899 in the Province (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Total.	Males.	Females.	Registered in the Quarter ended last day of—				Number of Births.	Excess of Births over Deaths.
				March.	June.	September.	December.		
Metropolitan { City of Adelaide.....	944	510	434	228	215	210	291	1,093	149
Suburbs "	1,316	652	664	334	322	269	391	3,072	1,756
Extra-Metropolitan	2,146	1,200	946	553	600	419	574	5,232	3,086
Total	4,406	2,362	2,044	1,115	1,137	898	1,256	9,397	4,991

No. 15.—DECENNIAL RETURN showing the Number of Deaths registered in the Province (exclusive of the Northern Territory) in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Births.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1890.....	3,923	2,187	1,736	940	526	414	1,114	614	500	949	538	411	920	509	411	10,364	6,441
1891.....	4,211	2,252	1,959	874	471	403	1,099	581	518	968	527	441	1,270	673	597	10,737	6,526
1892.....	3,711	2,039	1,672	1,129	612	517	953	531	422	810	434	376	819	462	357	10,544	6,833
1893.....	4,520	2,467	2,053	1,041	574	467	1,049	556	493	1,144	628	516	1,286	709	577	10,683	6,163
1894.....	4,001	2,184	1,817	1,048	584	464	1,019	556	463	972	532	440	962	512	450	10,476	6,475
1895.....	3,921	2,165	1,756	990	579	411	905	503	402	839	462	377	1,187	621	566	10,537	6,616
1896.....	4,038	2,121	1,917	1,123	568	555	1,009	540	469	958	498	460	948	515	433	10,012	5,974
1897.....	3,973	2,192	1,781	1,009	550	459	978	530	448	875	510	365	1,111	602	509	9,535	5,562
1898.....	4,675	2,584	2,091	1,314	730	584	1,156	644	512	904	500	404	1,301	710	591	8,945	4,270
1899.....	4,406	2,362	2,044	1,115	610	505	1,137	636	501	898	458	440	1,256	658	598	9,397	4,991

No. 16.—DECENNIAL RETURN showing the Number of Deaths registered in the Province (exclusive of the Northern Territory) in the Quarters of the Years—

	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Quarter ended March 31	940	874	1,129	1,041	1,048	990	1,123	1,009	1,314	1,115
June 30	1,114	1,099	953	1,049	1,019	905	1,009	978	1,156	1,137
September 30	949	968	810	1,144	972	839	958	875	904	898
December 31	920	1,270	819	1,286	962	1,187	948	1,111	1,301	1,256
Total	3,923	4,211	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406

No. 17.—DECENNIAL RETURN showing the Number of Deaths in the Province (exclusive of the Northern Territory) in each Month.

Month.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
January	384	291	400	330	435	326	442	290	506	437
February	243	296	352	309	310	365	329	346	400	351
March	313	287	377	402	303	299	352	373	408	327
April	326	302	348	328	340	305	291	318	438	369
May.....	444	385	310	358	348	356	341	294	357	392
June	344	412	295	363	331	244	377	366	361	376
July.....	342	321	251	332	303	301	339	297	268	290
August	320	321	302	380	333	274	333	306	317	308
September	287	326	257	432	336	264	286	272	319	300
October	303	324	228	381	292	351	275	247	340	469
November	292	485	295	452	328	411	292	367	486	432
December	325	461	296	453	342	425	381	497	475	355
Total	3,923	4,211	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406

No. 18.—DECENNIAL RETURN showing the Number of Deaths in the Province (exclusive of the Northern Territory) at Different Periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40.			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1890	554	446	1,000	457	400	857	312	260	572	344	230	574	414	321	735	103	79	182	3	—	3	2,187	1,736	3,923
1891	561	415	976	378	394	772	342	335	677	361	297	658	484	388	872	125	128	253	1	2	3	2,252	1,959	4,211
1892	561	461	1,022	332	320	652	307	282	589	302	229	531	422	271	693	111	108	219	4	1	5	2,039	1,672	3,711
1893	708	537	1,245	546	515	1,061	313	311	624	352	230	582	434	355	789	106	105	211	8	—	8	2,467	2,053	4,520
1894	556	428	984	418	360	778	317	305	622	327	229	556	461	389	850	102	106	208	3	—	3	2,184	1,817	4,001
1895	578	442	1,000	317	300	617	310	325	635	351	231	582	476	364	840	129	114	243	4	—	4	2,165	1,756	3,921
1896	557	458	1,015	279	320	599	323	361	684	379	258	637	459	373	832	123	147	270	1	—	1	2,121	1,917	4,038
1897	586	454	1,040	295	280	575	294	310	604	371	249	620	513	384	897	131	104	235	2	—	2	2,192	1,781	3,973
1898	726	525	1,251	407	391	798	345	338	683	404	267	671	555	422	977	145	148	293	2	—	2	2,584	2,091	4,675
1899	596	453	1,049	353	363	716	324	353	677	375	294	669	574	421	995	138	160	298	2	—	2	2,362	2,044	4,406

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	ALL CAUSES	2,362	596	104	36	24	12	63	44	70	66	82	75	101	93	90	87	105	130	166	138	140	85	44	7	2	2
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES	379	121	30	12	6	2	23	10	13	7	12	14	15	14	13	8	9	8	16	14	16	10	4	2	—	1
II.	PARASITIC DISEASES.....	6	—	—	1	—	—	1	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	20	10	—	—	—	—	—	—	—	—	2	2	1	2	—	—	1	—	—	—	—	—	—	—	—	2
IV.	CONSTITUTIONAL DISEASES	348	16	7	1	4	2	6	5	16	27	30	22	36	32	21	17	27	29	18	23	8	1	—	—	—	—
V.	DEVELOPMENTAL DISEASES	249	90	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5	10	30	42	37	27	5	2	—
VI.	LOCAL DISEASES	1,023	228	59	17	12	5	26	18	22	14	23	18	32	33	43	40	59	80	112	64	71	34	13	—	—	—
VII.	VIOLENCE	200	18	2	3	2	2	7	10	19	18	15	19	15	9	12	18	6	6	7	7	2	3	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	137	113	6	3	—	—	—	1	—	—	—	—	1	2	—	2	3	2	3	—	1	—	—	—	—	—
I.	1. MIASMATIC DISEASES	259	44	22	12	6	2	21	7	13	7	11	13	12	13	11	5	6	6	11	11	12	8	4	2	—	—
	2. DIARRHOEAL DISEASES.....	99	73	8	—	—	—	1	—	—	—	—	—	1	1	1	3	2	1	2	1	3	2	—	—	—	—
	3. MALARIAL DISEASES	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—
	6. SEPTIC DISEASES	17	4	—	—	—	—	1	3	—	—	1	—	1	—	1	—	1	—	2	2	1	—	—	—	—	—
II.	PARASITIC DISEASES	6	—	—	—	—	—	1	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	20	10	—	—	—	—	—	—	—	—	2	2	1	2	—	—	1	—	—	—	—	—	—	—	—	2
IV.	CONSTITUTIONAL DISEASES	348	16	7	1	4	2	6	5	16	27	30	22	36	32	21	17	27	29	18	23	8	1	—	—	—	—
V.	DEVELOPMENTAL DISEASES.....	249	90	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5	10	30	42	37	27	5	2	—
VI.	1. DISEASES OF NERVOUS SYS- TEM	233	67	12	4	7	1	11	7	3	2	5	1	8	4	6	8	12	12	26	16	14	3	4	—	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM.....	216	5	2	—	—	1	3	6	4	2	5	4	8	5	12	12	20	31	33	24	19	15	5	—	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	262	65	25	10	2	3	6	—	4	4	5	6	5	12	16	6	12	11	21	12	24	9	4	—	—	—
	5. DISEASES OF DIGESTIVE SYS- TEM	199	86	20	2	2	—	4	3	9	5	5	2	6	4	3	5	7	9	14	4	5	4	—	—	—	—
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS	4	1	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYS- TEM	91	1	—	—	—	—	—	—	—	—	2	5	5	8	5	8	7	15	17	7	9	2	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTU- RITION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	6	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	11	2	—	1	1	—	1	—	1	—	1	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE.....	175	18	1	3	2	2	7	10	18	17	12	17	11	7	11	15	5	4	4	6	2	3	—	—	—	—
	2. HOMICIDE	3	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	3. SUICIDE	22	—	—	—	—	—	—	—	—	—	3	2	4	2	1	3	1	1	3	1	—	—	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	137	113	6	3	—	—	—	1	—	—	—	—	1	2	—	2	3	2	3	—	1	—	—	—	—	—
I.	Miasmatic Diseases.																										
	Smallpox	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	8	4	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	6	1	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	114	6	4	1	—	—	2	1	3	2	3	5	8	8	10	2	5	6	11	11	12	8	4	2	—	—
	Whooping Cough	52	30	13	5	1	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	20	1	2	3	3	2	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	57	—	—	1	1	—	6	5	10	5	8	8	4	4	1	3	1	—	—	—	—	—	—	—	—	—
	Diarrhoeal Diseases.																										
	Simple Cholera	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhoea, Dysentery.....	97	71	8	—	—	—	1	—	—	—	—	—	1	1	—	3	2	1	2	1	3	2	—	—	—	—
	Malarial Diseases.																										
	Remittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Malarial Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	ALL CAUSES.....	2,044	453	106	32	25	21	48	54	77	79	104	75	95	74	57	77	86	79	113	105	124	91	44	23	2	—
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES	398	117	39	10	11	6	15	17	23	19	27	6	10	7	11	9	6	7	13	20	8	14	2	1	—	—
II.	PARASITIC DISEASES.....	6	3	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	3	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	335	13	6	3	2	1	7	13	31	30	37	31	26	23	18	15	25	13	15	9	10	6	1	—	—	—
V.	DEVELOPMENTAL DISEASES	233	57	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	11	11	22	37	41	31	18	2	—
VI.	LOCAL DISEASES	875	152	50	17	9	10	17	19	20	25	36	30	53	39	25	49	48	45	70	51	67	30	9	4	—	—
VII.	VIOLENCE.....	88	16	6	2	3	3	9	4	3	5	3	6	5	1	3	4	4	2	3	3	2	—	1	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	106	93	3	—	—	—	—	1	—	—	1	—	1	3	—	—	3	1	—	—	—	—	—	—	—	—
I.	1. Miasmatic Diseases	264	38	32	10	7	5	15	16	19	12	19	1	7	3	9	9	4	6	11	18	7	13	2	1	—	—
	2. DIARRHOEAL DISEASES.....	95	75	7	—	4	1	—	—	—	1	—	—	—	—	—	—	1	—	1	2	1	1	—	—	—	—
	3. MALARIAL DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES	36	3	—	—	—	—	—	1	4	6	7	4	3	4	1	—	1	1	1	—	—	—	—	—	—	—
II.	PARASITIC DISEASES	6	3	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
III.	DIETIC DISEASES	3	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	335	13	6	3	2	1	7	13	31	30	37	31	26	23	18	15	25	13	15	9	10	6	1	—	—	—
V.	DEVELOPMENTAL DISEASES.....	233	57	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	11	11	22	37	41	31	18	2	—
VI.	1. DISEASES OF NERVOUS SYS- TEM	203	42	13	7	3	4	1	9	—	8	5	2	5	7	4	12	11	11	20	11	18	6	2	2	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	187	7	—	—	—	—	6	3	8	3	6	6	10	12	3	13	17	15	22	20	22	9	3	2	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	207	36	24	8	4	2	4	3	4	3	3	4	10	9	5	11	9	7	18	11	16	12	4	—	—	—
	5. DISEASES OF DIGESTIVE SYS- TEM	162	62	13	1	2	3	3	2	2	4	7	5	10	6	6	6	7	3	5	8	6	1	—	—	—	—
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS	7	—	—	—	—	—	—	—	1	—	3	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYS- TEM	57	1	—	—	—	1	3	1	3	3	4	3	7	2	5	4	3	7	4	1	4	1	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...	15	—	—	—	—	—	—	—	—	1	—	3	5	1	1	3	1	—	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTU- RITION	22	—	—	—	—	—	—	—	—	2	11	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	10	—	—	1	—	—	—	1	3	—	—	1	1	—	—	—	—	1	1	—	—	1	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE ...	72	15	6	2	2	3	9	4	2	1	2	4	4	1	2	3	3	2	2	3	1	—	1	—	—	—
	2. HOMICIDE	4	1	—	—	1	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. SUICIDE	12	—	—	—	—	—	—	—	1	3	1	2	—	—	1	1	1	—	1	—	1	—	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	106	93	3	—	—	—	—	1	—	—	1	—	1	3	—	—	3	1	—	—	—	—	—	—	—	—
I.	Miasmatic Diseases.																										
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	19	4	5	3	—	—	2	—	2	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	Epidemic Rose Rash.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	10	—	2	2	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	104	3	3	1	—	—	—	3	3	1	10	—	4	2	6	8	4	6	11	17	6	13	2	1	—	—
	Whooping Cough	54	28	18	2	1	3	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	20	1	3	1	3	—	8	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever.....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	54	—	—	1	—	—	5	9	13	10	8	1	1	1	3	1	—	—	—	—	—	—	—	—	—	—
	Diarrhoeal Diseases.																										
	Simple Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœa, Dysentery	95	75	7	—	4	1	—	—	—	1	—	—	—	—	1	—	1	—	1	2	1	1	—	—	—	—
	Malarial Diseases.																										
	Remittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

		MALES.																										
Class.	Cause of Death.	Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
I.	<i>Zoogenous Diseases.</i>																											
	Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																											
	Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																											
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Pyæmia, Septicæmia	13	3	—	—	—	—	1	3	—	—	1	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—
	Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																											
	Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Vegetable Parasites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Hydatid Disease	5	—	—	—	—	—	1	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III.	<i>Dietic Diseases.</i>																											
	Starvation, Want of Breast Milk	13	10	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance { Chronic Alcoholism { Delirium Tremens	7	—	—	—	—	—	—	—	—	—	1	2	1	2	—	—	1	—	—	—	—	—	—	—	—	—	
IV.	<i>Constitutional Diseases.</i>																											
	Rheumatic Fever, Rheumatism of Heart	6	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer, Malignant Disease	104	—	—	—	1	1	—	—	2	1	2	5	8	6	10	13	20	12	15	7	1	—	—	—	—	—	
	Tabes Mesenterica	9	7	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tubercular Meningitis (Acute Hydrocephalus)	16	5	3	—	1	1	2	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Phthisis	169	2	2	1	—	—	1	2	9	19	23	20	24	22	14	5	13	5	4	3	—	—	—	—	—	—	
	Other forms of Tuberculosis, Scrofula	22	2	2	—	2	—	1	1	4	1	5	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Purpura, Hæmorrhagic Diathesis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Anæmia, Chlorosis, Leucocythæmia	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
	Diabetes Mellitus	14	—	—	—	—	—	2	—	1	—	—	—	—	—	—	2	1	4	—	2	1	—	—	—	—	—	
	Other Constitutional Diseases	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
V.	<i>Developmental Diseases.</i>																											
	Premature Birth	64	64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Atelectasis	7	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cyanosis	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Imperforate Anus	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cleft Palate, Harelip	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Congenital Defects	11	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Old Age	158	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	<i>Diseases of Nervous System.</i>																										
Inflammation of Brain or its Membranes		38	12	2	2	3	1	5	5	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Apoplexy		45	—	—	—	—	—	—	—	—	—	—	—	2	1	1	3	3	4	11	9	6	1	3	—	—	—	
Softening of Brain		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hemiplegia, Brain Paralysis		11	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1	2	2	—	—	—	—	—	—	
Paralysis Undefined		11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paralysis Agitans		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity, General Paralysis of Insane		20	—	—	—	—	—	1	—	—	—	1	—	3	2	2	1	1	—	3	4	1	1	—	—	—	—	
Chorea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy		10	1	1	—	—	—	2	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions		61	49	6	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Laryngismus Stridulus		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Idiopathic Tetanus		5	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paraplegia, Disease of Spinal Cord		12	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	1	6	—	—	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
I.	<i>Zoogenous Diseases.</i>																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																										
	Syphilis	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																										
	Phagedæna	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	5	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia	12	—	—	—	—	—	—	1	1	2	2	—	2	2	1	—	—	—	1	1	—	—	—	—	—	—
	Puerperal Fever	28	—	—	—	—	—	—	—	2	4	5	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																										
	Thrush	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hydatid Disease	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	<i>Dietic Diseases.</i>																										
	Starvation, Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance { Chronic Alcoholism Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart	10	—	—	—	1	—	1	4	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rheumatism	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rickets	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer, Malignant Disease	99	—	—	1	—	—	—	1	1	2	—	3	8	9	7	9	19	8	11	7	6	6	1	—	—	—
	Tabes Mesenterica	8	6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tubercular Meningitis (Acute Hydrocephalus)	17	4	3	—	1	—	4	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	143	—	—	—	—	—	4	4	19	23	31	22	16	10	6	5	2	3	—	2	—	—	—	—	—	—
	Other forms of Tuberculosis, Scrofula	28	2	2	1	—	1	—	2	4	2	5	3	2	3	1	—	—	—	—	—	—	—	—	—	—	—
	Purpura, Hæmorrhagic Diathesis	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	11	—	—	—	—	—	—	—	1	—	—	1	—	1	2	1	2	—	2	—	—	—	—	—	—	—
	Diabetes Mellitus	10	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	2	—	1	2	—	2	—	—	—	—
	Other Constitutional Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
V.	<i>Developmental Diseases.</i>																										
	Premature Birth	49	48	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</						

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

Class.	Cause of Death.	MALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and over.	Not Stated	
<i>Diseases of Nervous System—cont.</i>																												
	Other Diseases of Nervous System	14	1	3	—	—	—	—	1	—	—	1	—	1	—	1	—	2	2	2	—	—	—	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																												
	Otitis, Otorrhœa and Disease of Ear	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																												
	Endocarditis, Valvular Disease...	27	—	—	—	—	—	—	1	2	—	1	—	3	1	—	3	4	1	3	5	1	2	—	—	—	—	—
	Pericarditis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	Syncope	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—
	Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—
	Senile Gangrene	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	12	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	2	2	2	2	1	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System.....	157	5	2	—	—	1	2	5	1	2	4	4	5	4	7	8	14	24	24	17	15	10	3	—	—	—	—
<i>Diseases of Respiratory System.</i>																												
	Laryngitis.....	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	7	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma.....	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis	86	37	6	4	—	—	—	—	1	—	—	—	—	—	4	1	1	2	4	3	3	—	—	—	—	—	—
	Pneumonia	120	23	15	5	1	1	3	—	4	3	5	2	5	6	9	3	9	4	8	5	10	7	3	—	—	—	—
	Pleurisy	12	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	1	1	1	—	—	1	—	—	—	—	—
	Other Diseases of Respiratory System.....	14	—	—	—	—	1	1	—	—	—	—	1	—	4	1	1	—	1	2	1	—	—	1	—	—	—	—
<i>Diseases of Digestive System.</i>																												
	Stomatitis.....	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	19	13	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	3	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Hæmatemesis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Melæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	10	2	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	3	—	—	—	—	—	—	—
	Enteritis	80	56	10	1	—	—	—	2	1	1	1	1	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—
	Ulceration of Intestine.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine...	11	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	3	—	2	1	—	2	—	—	—	—
	Stricture, or Strangulation of Intestine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	7	—	—	—	—	—	—	—	—	—	3	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis.....	17	1	2	—	1	—	1	—	3	2	—	1	—	1	1	—	2	1	—	1	—	—	—	—	—	—	—
	Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gallstones.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cirrhosis of Liver	12	—	—	—	—	—	—	—	1	—	—	—	2	2	2	3	—	1	—	2	—	—	—	—	—	—	—
	Other Diseases of Liver	21	7	—	—	1	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Digestive System	9	3	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																												
	Diseases of Lymphatic System ...	3	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																												
	Acute Nephritis	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bright's Disease.....	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Uræmia.....	3	—	—	—	—	—	—	—	—	—	2	2	1	3	3	5	3	6	7	4	4	1	—	—	—	—	—
	Suppression of Urine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	2	—															

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—*continued*.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
<i>Diseases of Nervous System—cont.</i>																												
Other Diseases of Nervous System		18	2	—	—	—	—	—	5	—	2	1	—	1	—	2	—	—	1	4	—	—	—	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																												
Otitis, Otorrhœa and Disease of Ear		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epistaxis and Disease of Nose		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ophthalmia and Disease of Eye		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																												
Endocarditis, Valvular Disease ...		19	—	—	—	—	—	2	—	3	—	2	1	2	2	—	2	—	—	1	—	3	1	—	—	—	—	—
Pericarditis		1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hypertrophy of Heart		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Angina Pectoris		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Syncope		10	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—	1	—	2	1	—	—	—	—
Aneurism		1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Senile Gangrene		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Embolism, Thrombosis		7	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—
Phlebitis		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Varicose Veins		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Circulatory System		144	6	—	—	—	—	4	2	4	1	3	5	8	8	2	11	15	11	21	19	16	5	2	1	—	—	—
<i>Diseases of Respiratory System.</i>																												
Laryngitis		6	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Croup		2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emphysema, Asthma		15	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—
Bronchitis		77	24	7	2	1	—	1	—	—	—	—	1	3	2	—	2	3	4	8	2	2	2	—	—	—	—	—
Pneumonia		90	10	14	5	2	1	3	3	3	2	1	1	5	4	3	6	4	2	7	4	5	4	1	—	—	—	
Pleurisy		5	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Respiratory System		11	—	—	—	—	—	—	—	1	1	1	1	1	1	1	1	1	—	1	—	1	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																												
Stomatitis		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dentition		15	11	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sore Throat, Quinsy		3	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dyspepsia		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmatemesis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Melæna		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disease of Stomach		5	—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis		75	43	10	—	1	1	—	1	—	2	1	2	2	2	1	1	2	1	1	1	3	—	—	—	—	—	—
Ulceration of Intestine		2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus, Obstruction of Intestine ...		6	1	—	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Stricture, or Strangulation of Intestine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception of Intestine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia		7	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	1	—	1	1	—	—	—	—	—	—
Fistula		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis		16	—	—	—	—	—	1	—	2	—	4	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gallstones		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cirrhosis of Liver		10	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	2	1	1	—	—	—	—	—	—
Other Diseases of Liver		10	2	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	2	1	—	—	—	—	—	—
Other Diseases of Digestive System		7	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	1	—	1	2	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																												
Diseases of Lymphatic System ...		2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diseases of Spleen		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchocele		3	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease		2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																												
Acute Nephritis		12	1	—	—	—	1	1	—	—	2	1	2	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Bright's Disease		33	—	—	—	—	1	1	—	3	1	1	—	4	2	3	3	2	7	2	1	1	1	—	—	—	—	—
Uræmia		3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suppression of Urine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calculus		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmaturia		—	—	—	—	—	—	—	—	—																		

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

		MALES.																										
Class.	Cause of Death.	Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
VII.	<i>Diseases of Organs of Generation.</i>																											
	Ovarian Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pelvic Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Perineal Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diseases of Testes, Penis, Scrotum, &c.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Parturition.</i>																											
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Organs of Locomotion.</i>																											
	Caries, Necrosis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis ..	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	<i>Diseases of Integumentary System.</i>																											
	Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	5	1	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Lupus.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Eczema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	<i>Accident or Negligence.</i>																											
	Fracture and Contusion	65	1	—	—	1	—	1	—	5	6	5	6	9	8	3	5	7	3	—	2	2	—	1	—	—	—	—
	Gunshot Wounds	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	8	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat..	25	10	1	—	—	—	2	—	1	—	—	—	—	1	1	1	1	—	1	—	—	2	2	—	—	—	—
	Lightning	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
	Poison	6	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	Drowning.....	56	—	—	—	1	1	1	3	3	8	11	6	7	1	3	4	2	1	2	1	1	—	—	—	—	—	—
	Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	8	5	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	<i>Homicide.</i>																											
	Murder, Manslaughter.....	3	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Suicide.</i>																											
	Gunshot Wounds	4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	7	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Execution.</i>																											
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	<i>Ill-defined and not Specified Causes.</i>																											
	Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Debility, Atrophy, Inanition	123	109	6	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tumor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden (cause unascertained) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Ill-defined and not Specified Causes	11	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in the Province (exclusive of the Northern Territory) in the Year 1899—continued.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
VII.	<i>Diseases of Organs of Generation.</i>																											
	Ovarian Disease	4	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ...	9	—	—	—	—	—	—	—	—	—	—	2	2	1	1	3	—	—	—	—	—	—	—	—	—	—	
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pelvic Abscess.....	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Perineal Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Parturition.</i>																											
	Abortion, Miscarriage	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania.....	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Puerperal Convulsions.....	3	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Placenta Prævia, Flooding.....	5	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Accidents of Childbirth ...	11	—	—	—	—	—	—	—	—	—	6	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Organs of Locomotion.</i>																											
	Caries, Necrosis	5	—	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Arthritis, Ostitis, Periostitis	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	
	<i>Diseases of Integumentary System.</i>																											
	Carbuncle.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Phlegmon, Cellulitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
	Lupus.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Eczema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases of Integumentary System.....	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Accident or Negligence.</i>																											
	Fracture and Contusion	12	—	—	2	—	1	—	—	2	—	—	1	1	1	—	—	1	1	—	1	1	—	—	—	—	—	
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Burn, Scald	23	—	2	—	1	2	8	3	—	—	—	1	1	—	2	—	—	1	—	1	—	—	—	—	—	—	
	Sunstroke, Heat-apoplexy, Heat.....	20	9	1	—	1	—	—	1	—	—	2	—	1	—	—	1	2	—	1	1	—	—	—	—	—	—	
	Lightning.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Poison	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Drowning.....	8	—	2	—	—	—	1	—	—	1	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
	Suffocation	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Otherwise.....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Homicide.</i>																											
	Murder, Manslaughter.....	4	1	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Justifiable Homicide.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Suicide.</i>																											
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Poison	4	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Drowning.....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
	Otherwise.....	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Execution.</i>																											
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VIII.	<i>Ill-defined and not Specified Causes.</i>																											
	Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Debility, Atrophy, Inanition	98	91	3	—	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tumor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hæmorrhage	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Sudden (cause unascertained) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Ill-defined and not Specified Causes	7	2	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	

Months.	Births.			Class.	Causes of Death.	Deaths.																	
						Ages at Death.																	
	Total.					Under 1 Year.		1—		2—		3—		4—		5—		10—					
M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
January ...	375	391	766	Total	247	190	437	68	48	16	18	5	7	7	1	2	—	7	4	9	4		
				I. Zymotic diseases	48	45	93	18	16	6	7	2	3	1	—	1	—	2	1	2	2		
				II. Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	41	24	65	2	2	—	3	—	1	1	—	—	—	—	1	1	—		
				V. Developmental diseases	19	21	40	6	3	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases	103	77	180	24	17	8	5	2	3	4	1	1	—	4	1	4	2		
				VII. Violence	21	7	28	7	—	2	—	—	—	1	—	—	—	1	1	2	—		
				VIII. Ill-defined or not specified causes	15	15	30	11	10	2	1	1	—	—	—	—	—	—	—	—	—		
February...	372	318	690	Total	186	165	351	59	40	7	8	4	3	1	5	—	2	6	6	—	5		
				I. Zymotic diseases	31	33	64	15	13	2	1	2	1	—	3	—	2	2	3	—	2		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	29	27	56	7	2	1	—	—	1	—	—	—	—	1	—	—	3		
				V. Developmental diseases	19	22	41	9	2	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases	78	58	136	19	9	3	7	1	1	1	2	—	—	2	2	—	—		
				VII. Violence	18	13	31	2	4	1	—	—	—	—	—	—	—	1	1	—	—		
				VIII. Ill-defined or not specified causes	10	11	21	6	10	—	—	1	—	—	—	—	—	—	—	—	—		
March	382	388	770	Total	177	150	327	46	52	13	9	—	1	—	1	—	3	7	5	7	4		
				I. Zymotic diseases	26	38	64	14	18	4	5	—	1	—	1	—	—	—	2	2	1		
				II. Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	27	30	57	—	2	1	—	—	—	—	—	—	—	1	1	1	1		
				V. Developmental diseases	16	12	28	4	4	—	1	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases	77	52	129	19	15	8	2	—	—	—	—	—	3	5	1	3	1		
				VII. Violence.....	18	6	24	1	3	—	—	—	—	—	—	—	—	1	1	1	—		
				VIII. Ill-defined or not specified causes.....	10	12	22	8	10	—	1	—	—	—	—	—	—	—	—	—	1		
April.....	390	376	766	Total	200	169	369	66	55	10	15	2	2	3	5	3	2	4	3	3	5		
				I. Zymotic diseases	32	28	60	14	12	4	3	—	—	2	2	—	—	—	1	—	2		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	28	22	50	3	1	—	—	—	—	1	2	—	—	1	—	—	—		
				V. Developmental diseases	22	20	42	7	10	—	—	—	—	—	1	—	—	—	—	—	—		
				VI. Local diseases	86	83	169	25	22	4	12	2	2	1	1	—	1	3	1	2	3		
				VII. Violence	15	4	19	1	—	1	—	—	—	—	1	—	1	1	—	1	—		
				VIII. Ill-defined or not specified causes	15	11	26	14	9	1	—	—	—	—	—	—	—	—	—	—	—		
May	469	450	919	Total	213	179	392	68	48	10	11	1	3	3	1	3	4	6	4	2	6		
				I. Zymotic diseases	38	44	82	18	16	3	5	1	1	—	—	—	2	5	1	1	2		
				II. Parasitic diseases	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				III. Dietic diseases.....	3	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	36	24	60	2	—	1	1	—	1	—	1	—	—	—	1	—	1		
				V. Developmental diseases	27	14	41	13	4	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases	87	77	164	23	13	6	5	—	—	3	—	2	2	—	1	1	2		
				VII. Violence	9	6	15	—	1	—	—	—	1	—	—	1	—	—	1	—	1		
				VIII. Ill-defined or not specified causes	10	13	23	10	13	—	—	—	—	—	—	—	—	—	—	—	—		
June	457	400	857	Total	223	153	376	37	30	6	9	2	—	1	3	1	4	8	4	4	5		
				I. Zymotic diseases	22	28	50	7	6	2	5	1	—	—	3	—	1	2	4	1	2		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	30	28	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				V. Developmental diseases	19	18	37	6	7	—	—	—	—	—	—	—	—	—	—	—	1		
				VI. Local diseases	87	60	147	9	9	4	2	1	—	1	—	1	2	6	—	—	2		
				VII. Violence	45	11	56	—	1	—	2	—	—	—	—	—	—	—	1	2	—		
				VIII. Ill-defined or not specified causes.....	18	8	26	15	7	—	—	—	—	—	—	—	—	—	—	—	1		

(exclusive of the Northern Territory) in each Month of the Year 1899.

Deaths.

Ages at Death.

15--		20--		25--		30--		35--		40--		45--		50--		55--		60--		65--		70--		75--		80--		85--		90--		95 and Over.		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
7	10	6	8	9	6	4	7	11	7	9	7	6	5	8	5	6	8	12	6	19	9	15	10	9	6	8	10	2	4	1	—	1	—	—	—
2	3	1	4	4	2	2	1	—	1	1	—	1	—	1	1	1	—	—	—	1	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	4	4	1	2	3	—	4	5	1	4	—	2	—	4	—	2	2	3	—	3	—	5	—	2	—	—	2	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	2	1	3	3	1	1	2	5	4	4	6	3	4	2	4	2	3	8	4	12	6	5	5	3	2	4	7	1	3	1	—	1	—	—	
1	1	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	1	1	—	2	1	1	—	1	—	1	1	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	7	2	7	6	5	6	10	8	4	7	6	3	5	8	3	12	8	15	4	6	8	8	8	12	9	4	4	4	6	—	2	—	—	—	
4	3	1	1	1	1	2	—	—	—	—	1	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	4	—	4	2	1	2	2	3	1	3	1	—	2	1	2	3	—	4	—	—	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	4	7	1	4	3	5	—	2	—	—	—	—	—
4	—	—	1	3	1	1	6	3	2	3	3	2	2	4	1	6	5	7	4	5	4	5	6	6	2	2	—	1	—	—	—	—	—	—	
—	—	1	1	—	2	1	1	1	1	1	—	1	—	2	—	1	2	3	—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	4	5	9	8	5	6	3	9	6	8	7	7	3	4	6	8	6	12	4	6	8	10	3	9	8	1	1	3	1	1	1	—	—	2	—
1	2	—	4	—	—	1	1	1	—	1	1	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	3	1	4	2	3	1	3	4	1	3	2	1	1	2	—	3	2	3	1	2	1	1	1	1	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	3	2	3	1	1	1	2	4	3	5	2	1	4	5	3	7	1	4	4	5	—	5	3	1	—	3	1	1	1	—	—	—	—
2	—	1	1	2	—	1	—	4	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	6	5	5	11	8	5	3	4	3	1	3	3	4	11	5	7	7	10	4	16	10	10	3	6	14	9	3	6	2	1	1	—	1	—	
—	4	—	2	2	1	1	—	1	—	1	—	—	—	3	—	—	—	—	—	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	2	4	2	5	2	1	1	2	—	—	2	—	2	2	2	2	2	2	1	1	2	2	—	1	1	—	—	—	—	—	—	—	—	—	—
2	—	—	1	3	5	2	2	—	2	—	—	3	1	2	3	5	4	6	3	11	6	5	2	4	10	4	2	2	—	1	1	—	—	—	
1	—	1	—	1	—	1	—	1	1	—	—	—	—	4	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	11	4	7	4	10	8	7	8	8	12	4	6	5	9	4	9	6	6	8	12	7	14	3	13	6	5	6	3	6	—	4	—	—	—	
2	4	—	3	1	4	1	2	3	1	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	3	2	2	1	1	2	3	3	3	5	—	3	3	2	1	4	—	2	1	2	1	2	—	2	1	—	—	—	—	—	—	—	—	—	—
2	3	2	2	1	5	1	2	1	4	7	3	2	1	4	2	5	5	3	7	7	6	7	1	6	4	3	4	1	3	—	2	—	—	—	
—	1	—	—	1	—	3	—	1	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15	2	12	11	15	9	12	8	10	11	15	3	12	2	6	4	7	6	9	6	19	8	14	7	9	11	7	8	2	2	—	—	—	—	—	
1	—	2	3	—	4	—	1	—	1	2	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	4	3	3	2	3	4	4	6	3	4	1	—	1	2	3	3	1	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	1	3	5	3	1	2	1	—	—	—	—	—	—
4	1	1	4	3	2	4	1	5	5	3	—	4	1	4	1	4	3	5	3	14	6	7	5	4	5	3	7	—	1	—	—	—	—	—	
9	—	8	—	7	—	6	3	1	1	3	—	4	—	2	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Months.	Births.			Class.	Causes of Death.	Deaths.																
	M.	F.	Total			Ages at Death.																
						Totals.			Under 1 Year.		1—		2—		3—		4—		5—		10—	
				M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
July	434	380	814		Total	149	141	290	32	26	—	4	3	2	1	1	1	1	5	1	8	3
				I.	Zymotic diseases.....	14	9	23	3	1	—	2	1	2	1	—	—	1	4	—	—	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	28	32	60	1	—	—	—	—	—	—	—	—	—	1	—	2	—
				V.	Developmental diseases.....	20	19	39	8	5	—	1	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	66	70	136	11	12	—	1	1	—	—	—	—	—	1	4	1	—
				VII.	Violence.....	12	3	15	1	1	—	—	1	—	—	1	1	—	—	—	2	—
				VIII.	Ill-defined or not specified causes.....	9	7	16	8	7	—	—	—	—	—	—	—	—	—	—	—	—
August.....	440	430	870		Total	152	156	308	38	27	9	9	4	3	4	1	—	3	5	6	2	4
				I.	Zymotic diseases.....	8	14	22	2	3	—	3	1	—	1	—	—	—	2	2	1	—
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	17	33	50	—	2	2	—	—	—	2	—	—	—	—	1	—	1
				V.	Developmental diseases	25	17	42	8	5	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	77	78	155	16	10	7	6	2	2	1	1	—	2	1	2	1	3
				VII.	Violence.....	16	8	24	4	1	—	—	1	1	—	—	—	1	2	1	—	—
				VIII.	Ill-defined or not specified causes.....	8	6	14	8	6	—	—	—	—	—	—	—	—	—	—	—	—
September .	407	401	808		Total	157	143	300	49	21	9	3	7	4	2	3	—	—	1	3	3	4
				I.	Zymotic diseases.....	17	13	30	7	4	3	1	3	1	—	—	—	—	—	—	—	1
				II.	Parasitic diseases	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	3	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	26	28	54	—	1	1	—	1	—	1	—	—	—	—	1	1	1
				V.	Developmental diseases	13	21	34	6	3	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	73	69	142	23	8	4	2	2	3	1	2	—	—	1	2	1	1
				VII.	Violence	10	8	18	—	1	—	—	—	—	—	1	—	—	—	1	1	1
				VIII.	Ill-defined or not specified causes.....	15	3	18	11	3	1	—	1	—	—	—	—	—	—	—	—	—
October ...	382	337	719		Total	248	221	469	37	15	11	9	3	2	—	1	2	2	4	5	3	5
				I.	Zymotic diseases.....	71	69	140	7	2	3	2	—	1	—	1	1	—	1	2	2	4
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	27	29	56	—	—	1	2	—	—	—	—	—	1	1	—	—	—
				V.	Developmental diseases	26	28	54	8	3	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	110	85	195	16	6	7	5	3	1	—	—	1	—	2	1	1	1
				VII.	Violence.....	8	6	14	—	—	—	—	—	—	—	—	—	1	—	2	—	—
				VIII.	Ill-defined or not specified causes.....	4	4	8	4	4	—	—	—	—	—	—	—	—	—	—	—	—
November .	376	359	735		Total	222	210	432	35	51	8	2	2	2	2	—	—	—	6	3	1	6
				I.	Zymotic diseases.....	49	52	101	7	17	1	2	—	—	1	—	—	—	4	—	—	1
				II.	Parasitic diseases	1	2	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	31	28	59	—	1	—	—	—	—	—	—	—	—	1	—	—	2
				V.	Developmental diseases	26	21	47	8	6	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	92	91	183	16	16	6	—	1	2	—	—	—	—	1	3	—	2
				VII.	Violence.....	15	8	23	—	1	—	—	1	—	1	—	—	—	—	—	1	1
				VIII.	Ill-defined or not specified causes.....	6	8	14	4	8	1	—	—	—	—	—	—	—	—	—	—	—
December .	357	326	683		Total	188	167	355	61	40	5	9	3	3	—	3	—	—	4	4	2	3
				I.	Zymotic diseases.....	23	25	48	9	9	2	3	1	—	—	1	—	—	1	1	1	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	3	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	28	30	58	1	2	—	—	—	—	—	—	—	—	1	—	—	1
				V.	Developmental diseases	17	20	37	7	5	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	87	75	162	27	15	2	3	2	3	—	2	—	—	1	2	1	1
				VII.	Violence.....	13	8	21	2	3	—	2	—	—	—	—	—	—	1	1	—	1
				VIII.	Ill-defined or not specified causes.....	17	8	25	14	6	1	1	—	—	—	—	—	—	—	—	—	—

(exclusive of the Northern Territory) in each Month of the Year 1899—continued.

Deaths.

Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	6	7	6	1	4	4	6	13	11	5	7	7	5	12	4	8	8	9	3	11	11	3	7	7	10	7	9	4	3	—	3	—	—	—	—
—	1	2	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	3	4	—	2	3	2	6	5	3	2	2	2	2	2	3	4	2	1	—	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—
1	4	—	2	1	2	1	3	5	6	—	4	4	2	7	2	5	4	6	1	11	8	3	6	3	7	2	2	1	1	—	1	—	—	—	
—	—	2	—	—	—	—	1	1	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	4	4	5	4	8	2	8	2	7	3	10	6	4	2	6	3	5	8	10	17	5	13	11	8	14	5	1	5	4	1	1	—	—	—	—
—	—	—	1	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	4	1	2	—	4	—	4	—	3	—	3	2	3	1	—	—	3	1	—	4	—	3	2	—	1	—	—	—	—	—	—	—	—	—	—
4	—	3	1	1	1	2	4	1	3	3	6	2	1	—	6	3	2	7	7	10	5	7	5	4	9	1	1	1	1	—	—	—	—	—	
2	—	—	1	3	1	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	7	6	3	4	8	2	6	8	6	6	7	4	5	4	8	9	6	6	2	11	10	9	14	12	9	2	8	1	2	—	3	—	1	—	—
—	1	—	—	1	1	—	—	—	1	1	1	—	—	—	—	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	4	3	2	3	4	2	3	2	1	—	2	1	2	—	—	4	2	1	1	2	1	2	1	—	2	—	—	—	—	—	—	—	—	—	—
—	2	2	—	—	3	—	2	3	4	4	3	2	2	1	8	4	4	3	—	8	6	5	7	8	6	1	3	—	1	—	—	—	—	—	
—	—	1	1	—	—	—	1	2	—	1	—	1	1	3	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	7	7	5	8	18	9	6	6	11	10	2	21	10	8	16	13	7	17	14	22	17	15	15	27	24	12	18	4	9	3	3	1	—	—	—
1	3	1	—	2	5	2	1	3	2	2	1	8	5	2	6	1	2	4	4	8	8	6	6	10	3	2	8	3	2	2	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	3	2	4	4	3	3	2	3	3	1	3	1	—	1	3	1	2	3	—	2	—	1	—	2	—	—	—	—	—	—	—	—	—	—
1	2	1	2	2	9	4	2	—	6	3	—	9	4	6	8	9	3	11	7	12	6	5	5	11	13	5	3	1	1	—	—	—	—	—	
1	—	2	1	—	—	—	—	1	—	2	—	1	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	6	3	5	7	14	9	5	18	10	13	7	8	4	9	9	12	12	11	12	17	15	17	16	18	8	18	17	4	3	—	3	—	—	—	
1	—	—	—	1	5	4	—	5	3	5	—	1	1	—	2	4	2	1	2	1	3	4	8	3	2	5	4	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	4	4	6	2	3	5	—	3	1	—	—	3	2	3	3	1	1	2	1	5	1	—	—	—	1	1	—	—	—	—	—	—	—
1	3	1	1	2	3	—	2	6	6	2	6	4	3	4	5	5	7	8	6	12	10	5	5	11	4	5	6	2	—	—	1	—	—	—	
2	1	1	—	—	3	—	1	1	1	—	—	3	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	7	5	8	5	9	8	6	4	11	4	11	7	5	6	7	11	7	15	6	10	5	10	8	10	5	7	6	6	2	—	2	—	—	—	
1	2	—	1	—	2	1	—	1	—	—	1	2	2	—	—	1	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	3	2	2	2	5	2	2	1	1	4	5	2	1	1	2	1	2	6	1	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	2	2	5	2	1	1	3	2	9	—	5	3	2	5	5	6	5	9	2	6	3	5	4	6	2	4	1	3	—	—	—	—	—	—	
1	—	1	—	1	—	3	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Births.				Class.	Causes of Death.	Deaths.																
						Ages at Death.																
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—	
Months.	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
January ...	45	46	91		Total	53	39	92	7	6	1	2	—	1	3	—	—	—	1	1	3	1
				I.	Zymotic diseases	7	9	16	2	3	—	—	—	1	—	—	—	—	1	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	11	6	17	—	—	—	1	—	—	—	—	—	—	—	1	—	—
				V.	Developmental diseases	5	5	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	27	16	43	2	1	1	—	—	—	3	—	—	—	—	—	3	1
				VII.	Violence	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	2	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—
February...	40	36	76		Total	33	30	63	5	5	—	1	—	—	1	1	—	1	—	2	—	1
				I.	Zymotic diseases	3	8	11	2	2	—	—	—	—	1	—	—	1	—	1	—	1
				I.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	9	3	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	4	5	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	14	12	26	2	1	—	1	—	—	1	—	—	—	—	1	—	—
				VII.	Violence	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
March	47	60	107		Total	34	39	73	6	6	2	4	—	—	—	—	—	1	3	2	2	1
				I.	Zymotic diseases	5	9	14	2	2	1	3	—	—	—	—	—	—	1	—	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	5	10	15	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				V.	Developmental diseases	6	2	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	17	15	32	1	2	1	—	—	—	—	—	—	1	2	1	2	—
				VII.	Violence	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	—	3	3	—	2	—	1	—	—	—	—	—	—	—	—	—	—
April	47	37	84		Total	39	25	64	10	3	1	2	—	2	1	1	1	1	—	—	—	1
				I.	Zymotic diseases	7	4	11	3	2	1	—	—	—	1	1	—	—	—	—	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	7	4	11	—	—	—	—	—	—	—	—	1	—	—	—	—	—
				V.	Developmental diseases	3	2	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	16	13	29	4	—	—	2	—	2	—	—	—	—	—	—	—	—
				VII.	Violence	3	1	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
May	54	44	98		Total	45	33	78	8	6	—	—	—	1	—	1	2	1	4	1	1	2
				I.	Zymotic diseases	10	8	18	2	1	—	—	—	1	—	—	—	1	3	1	1	1
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	13	6	19	1	—	—	—	—	—	1	—	—	—	—	—	—	—
				V.	Developmental diseases	5	1	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	12	13	25	1	1	—	—	—	—	—	—	1	—	—	—	1	—
				VII.	Violence	1	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	4	6	2	4	—	—	—	—	—	—	—	—	—	—	—	—
June	58	48	106		Total	41	32	73	10	8	—	—	—	—	1	—	—	2	1	—	—	2
				I.	Zymotic diseases	2	3	5	—	1	—	—	—	—	1	—	—	1	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	9	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	5	4	9	2	3	—	—	—	—	—	—	—	—	1	—	—	1
				VI.	Local diseases	17	13	30	2	2	—	—	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	1	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1
				VIII.	Ill-defined or not specified causes.....	6	2	8	6	2	—	—	—	—	—	—	—	—	—	—	—	—

Ages at Death.

[illegible]

Months.	Births.			Class.	Causes of Death.	Deaths.																	
						Ages at Death.																	
	Total.					Under 1 Year.		1—		2—		3—		4—		5—		10—					
						M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
July	61	49	110	Total	40	33	73	4	4	—	—	—	1	—	1	—	—	1	—	4	—		
				I. Zymotic diseases.....	4	1	5	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	13	9	22	—	—	—	—	—	—	—	—	—	—	—	—	2	—		
				V. Developmental diseases	5	4	9	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases.....	16	15	31	1	—	—	—	—	—	—	—	—	—	—	—	2	—		
				VII. Violence	1	1	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—		
				VIII. Ill-defined or not specified causes	1	3	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—		
August.....	49	42	91	Total	32	33	65	8	4	1	2	—	2	2	—	—	1	—	2	—	1		
				I. Zymotic diseases.....	1	4	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				II. Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	5	9	14	—	1	—	—	—	—	2	—	—	—	—	—	—	1		
				V. Developmental diseases	3	3	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases.....	17	13	30	4	1	1	2	—	1	—	—	—	—	—	—	—	—		
				VII. Violence.....	2	4	6	—	1	—	—	—	1	—	—	—	1	—	1	—	—		
				VIII. Ill-defined or not specified causes	3	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
September.	42	43	85	Total	48	24	72	9	—	—	—	2	1	—	—	—	—	1	2	2	—		
				I. Zymotic diseases.....	5	1	6	2	—	—	—	1	1	—	—	—	—	—	—	—	—		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	12	6	18	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
				V. Developmental diseases	2	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases.....	23	13	36	3	—	—	—	—	—	—	—	—	—	1	—	1	—		
				VII. Violence	1	2	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—		
				VIII. Ill-defined or not specified causes.....	4	—	4	3	—	—	—	1	—	—	—	—	—	—	—	—	—		
October ...	40	38	78	Total	68	69	137	6	1	1	3	1	—	—	—	1	1	1	2	—	—		
				I. Zymotic diseases.....	19	21	40	1	—	—	1	—	—	—	—	1	—	—	1	—	—		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	6	8	14	—	—	—	1	—	—	—	—	—	1	—	—	—	—		
				V. Developmental diseases	6	11	17	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases	33	26	59	1	—	1	1	1	—	—	—	—	—	1	—	—	—		
				VII. Violence	2	2	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—		
				VIII. Ill-defined or not specified causes.....	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
November.	46	46	92	Total	36	34	70	6	12	—	—	—	—	—	—	—	—	1	—	—	—		
				I. Zymotic diseases.....	4	4	8	2	2	—	—	—	—	—	—	—	—	—	—	—	—		
				II. Parasitic diseases	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	11	6	17	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				V. Developmental diseases	2	3	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—		
				VI. Local diseases.....	16	15	31	2	3	—	—	—	—	—	—	—	—	—	—	—	—		
				VII. Violence	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII. Ill-defined or not specified causes	—	3	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—		
December..	43	32	75	Total	41	43	84	10	9	—	—	1	—	—	1	—	—	1	1	1	—		
				I. Zymotic diseases.....	3	6	9	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
				II. Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III. Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV. Constitutional diseases.....	6	11	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				V. Developmental diseases	3	7	10	1	2	—	—	—	—	—	—	—	—	—	—	1	—		
				VI. Local diseases.....	23	16	39	4	2	—	—	1	—	—	1	—	—	—	1	1	—		
				VII. Violence	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII. Ill-defined or not specified causes	4	2	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—		

Ages at Death.

No.

No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1894-1899.

Years	1894.	1895.	1896.	1897.	1898.	1899.											
Population, Mean	39,958	40,286	40,395	40,429	40,556	40,821											
Births	1,130	1,091	1,066	1,092	986	Total, 1,093—Males, 572 ; females, 521.											
Rate per 1,000 of population	28.28	27.08	26.39	27.01	24.31	26.78											
<i>Deaths—</i>																	
All causes	778	885	880	863	1,040	All Ages.			Under 1 Year.	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.	Not stated	
						Total.	M.	F.									
Rate per 1,000 of population	19.47	21.97	21.78	21.35	25.64	23.13	—	—	—	—	—	—	—	—	—	—	
<i>Diseases—</i>																	
I. Specific Febrile or Zymotic	100	105	114	73	150	148	70	78	32	18	19	30	18	22	9	—	
II. Parasitic	5	5	4	7	5	4	2	2	2	—	1	—	1	—	—	—	
III. Dietic	8	18	10	7	10	4	4	—	2	—	—	1	1	—	—	—	
IV. Constitutional	195	211	191	178	177	195	108	87	2	7	26	70	65	24	1	—	
V. Developmental	70	81	83	111	122	98	49	49	25	—	—	—	—	38	35	—	
VI. Local	339	397	365	386	423	411	231	180	40	22	29	71	110	123	16	—	
VII. Violence	25	26	50	51	63	35	20	15	4	6	6	11	4	4	—	—	
VIII. Ill-defined and not specified causes ..	36	42	63	50	90	49	26	23	46	2	—	—	1	—	—	—	

Causes of Deaths Registered in the Year ended December 31st, 1899.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Scrofula, tuberculosis	—	19	Accidents of childbirth	—	4
Measles	—	3	Other constitutional diseases.	—	14	Diseases of locomotive system	—	4
Scarlet fever	—	5				Diseases of integumentary system	1	4
Relapsing fever	—	—	V.					
Influenza	2	43	Premature birth	21	—	VII.		
Whooping-cough	4	4	Cyanosis	—	—	(Accident.)		
Diphtheria	1	9	Congenital defects	4	—	Fracture and contusion	—	15
Simple and ill-defined fever..	2	—	Old age	—	73	Gunshot wound	—	—
Enteric fever	—	24				Cut, stab	—	—
Simple cholera	—	—	VI.			Burn and scald	—	5
Diarrhoea, dysentery	22	10	Apoplexy	—	17	Poison	—	—
Remittent fever	—	—	Epilepsy	1	3	Drowning	—	1
Venereal affections	—	3	Convulsions	9	3	Suffocation	1	—
Erysipelas	—	—	Other diseases of brain and nervous system	2	59	Otherwise	3	2
Pyæmia, septicæmia	—	12	Diseases of organs of special sense	—	—	(Homicide.)		
Puerperal fever	—	3	Diseases of circulatory system	1	91	Murder and manslaughter ..	—	1
Other zymotic diseases	1	—	Croup	—	1	(Suicide.)		
II.			Bronchitis	5	24	Gunshot wound	—	1
Thrush	2	—	Pneumonia	3	32	Cut, stab	—	3
Worms and other parasitical diseases	—	2	Pleurisy	—	2	Poison	—	1
III.			Other diseases of respiratory system	2	7	Drowning	—	—
Privation, want of breast milk	2	—	Dentition	2	—	Hanging	—	1
Alcoholism	—	2	Quinsy, sore throat	—	—	Otherwise	—	1
IV.			Enteritis	12	11	VIII.		
Rheumatic fever and rheumatism of heart	—	1	Peritonitis	—	11	Dropsy	—	—
Rheumatism	—	1	Diseases of liver	1	21	Debility, atrophy, inanition.	46	3
Gout	—	—	Other diseases of digestive system	1	14	Mortification	—	—
Cancer, malignant disease ..	—	58	Diseases of lymphatic system and of ductless glands....	—	4	Tumor	—	—
Tabes mesenterica	—	2	Diseases of urinary system...	—	50	Abscess	—	—
Tubercular meningitis	2	8	Diseases of generative system	—	9	Hæmorrhage	—	—
Phthisis	—	90				Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	—

No. 23.—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions* of persons not usually resident in the city) in the Year ended December 31st, 1899.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell
Area in acres.....	3,632	573	659	552	718	480	650
Estimated mean population.....	40,821	6,176	7,122	8,759	19,158	3,653	4,953
Persons to an acre	11.2	10.8	10.7	15.9	14.1	7.6	7.6
Births	1,093	157	172	256	317	84	107
Male	572	88	81	144	160	48	51
Female	521	69	91	112	157	36	56
Deaths	761	189	97	130	162	77	106
Male	391	114	57	67	76	32	45
Female	370	75	40	63	86	45	61
CLASSES.							
I. Specific febrile or zymotic diseases	121	24	15	20	26	12	24
II. Parasitic diseases	4	—	—	—	2	1	1
III. Dietic diseases	4	1	1	1	—	1	—
IV. Constitutional diseases	150	37	16	24	30	19	24
V. Developmental diseases	94	39	7	10	22	4	12
VI. Local diseases	312	77	47	57	62	38	31
VII. Violence	27	3	5	3	4	—	12
VIII. Ill-defined and not specified causes	49	8	6	15	16	2	2
Rate per 1,000 of mean population of each ward	18.64	30.60	13.62	14.84	15.95	21.08	21.40

* The Destitute Asylum (including the Lying-in Department), the Adelaide Hospital, and the Adelaide Lunatic Asylum.

Causes of Deaths Registered in the Year ended December 31st, 1899.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases.	—	9	Diseases of locomotive system	—	4
Measles	—	3				Diseases of integumentary system	1	3
Scarlet fever	—	5	V.					
Relapsing fever	—	—	Premature birth	20	—			
Influenza	2	37	Cyanosis	—	—	VII.		
Whooping-cough	4	4	Congenital defects	4	—	(Accident.)		
Diphtheria	1	7	Old age	—	70	Fracture and contusion	—	10
Simple and ill-defined fever..	2	—				Gunshot wound	—	—
Enteric fever	—	10	VI.			Cut, stab	—	—
Simple cholera	—	—	Apoplexy	—	17	Burn and scald.....	—	5
Diarrhoea, dysentery	22	10	Epilepsy	1	3	Poison	—	—
Remittent fever	—	—	Convulsions	9	3	Drowning	—	1
Veneral affections	—	3	Other diseases of brain and nervous system	2	44	Suffocation	1	—
Erysipelas	—	—	Diseases of organs of special sense.....	—	—	Otherwise	3	2
Pyæmia and septicæmia	—	7	Diseases of circulatory system	1	72	(Homicide.)		
Puerperal fever	—	3	Croup.....	—	1	Murder and manslaughter ..	—	1
Other zymotic diseases	1	—	Bronchitis.....	5	21	(Suicide.)		
II.			Pneumonia	2	22	Gunshot wound	—	1
Thrush	2	—	Pleurisy	—	—	Cut, Stab	—	1
Worms and other parasitical diseases	—	2	Other diseases of respiratory system	2	4	Poison	—	1
III.			Dentition	2	—	Drowning	—	—
Privation—want of breast milk	2	—	Quinsy, sore throat	—	—	Hanging	—	1
Alcoholism	—	2	Enteritis	12	6	Otherwise	—	—
IV.			Peritonitis	—	8	(Execution.)		
Rheumatic fever and rheumatism of heart	—	1	Diseases of liver	1	13	Hanging	—	—
Rheumatism	—	1	Other diseases of digestive system.....	1	8	VIII.		
Gout	—	—	Diseases of lymphatic system and of ductless glands ..	—	2	Dropsy	—	—
Cancer, Malignant Disease ..	—	42	Diseases of urinary system..	—	33	Debility, atrophy, inanition.	46	3
Tabes Mesenterica.....	—	1	Diseases of generative system	—	6	Mortification	—	—
Tubercular Meningitis	2	8	Accidents of childbirth	—	3	Tumor	—	—
Phthisis	—	72				Abscess	—	—
Scrofula, Tuberculosis	—	14				Hæmorrhage.....	—	—
						Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	—

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1894-1899.

Years	1894.	1895.	1896.	1897.	1898.	1899.											
*Population, Mean	343,625	348,539	351,813	353,518	358,035	363,026											
Births	10,476	10,537	10,012	9,535	8,945	Total, 9,397—Males, 4,841 ; females, 4,556.											
Rate per 1,000 of population	30·49	30·23	28·46	26·97	24·98	25·89											
Deaths—																	
All causes.....	4,001	3,921	4,038	3,973	4,675	All Ages.			Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up-wards	Not stated	
						Total.	M.	F.									
Rate per 1,000 of population	11·64	11·25	11·48	11·24	13·06	12·69	—	—	—	—	—	—	—	—	—	—	
DISEASES.																	
I. Specific Febrile or Zymotic	605	530	554	463	772	777	379	398	238	116	101	110	77	102	33	—	
II. Parasitic	13	16	14	17	7	12	6	6	3	—	1	2	5	1	—	—	
III. Dietic	52	29	26	33	42	23	20	3	12	—	—	6	3	—	—	2	
IV. Constitutional	700	702	698	665	663	683	348	335	29	26	78	239	178	125	8	—	
V. Developmental.....	428	446	441	454	541	482	249	233	147	4	—	—	—	168	163	—	
VI. Local	1,765	1,708	1,772	1,836	2,006	1,898	1,023	875	380	179	122	231	336	560	90	—	
VII. Violence	226	230	260	253	318	288	200	88	34	23	52	86	57	32	4	—	
VIII. Ill-defined and not specified causes ..	232	260	273	252	326	243	137	106	206	12	2	3	13	7	—	—	

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese) and also of the number of the aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1899.

Corporate Towns.	Estimated Mean Population.	Registered during Year.			The Deaths Registered in the Year include Deaths from—										Birth and Death Rates per 1,000 living.	
		Births.	Deaths.		Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Births.	Deaths.	
			Total.	Under One Year.												
Adelaide	40,821	1,093	944	153	3	5	10	8	24	32	76	90	92	26·78	23·13	
Hindmarsh	9,662	313	110	40	—	—	—	2	1	3	13	9	9	32·39	11·39	
Thebarton	4,674	147	65	21	1	—	1	3	—	3	10	5	4	31·45	13·91	
Port Adelaide*	5,570	142	72	28	—	—	—	—	2	1	6	3	7	25·49	12·93	
Semaphore	8,413	218	118	27	3	—	3	5	5	8	16	11	9	25·91	14·03	
Glenelg	4,090	76	37	6	—	—	—	2	—	3	3	3	—	18·58	9·05	
Brighton	976	19	15	1	—	—	—	—	2	—	1	1	2	19·47	15·37	
Unley	13,606	447	186	47	—	—	—	5	3	8	18	18	21	32·85	13·67	
St. Peters	6,671	151	53	11	—	—	—	—	—	5	6	3	8	22·64	7·94	
Kensington and Norwood....	13,582	343	141	36	—	1	—	1	2	7	13	13	15	25·25	10·38	
Gawler	2,338	64	39	9	—	—	—	1	—	2	8	3	1	27·37	12·41	
Kapunda	2,258	37	23	7	—	—	—	—	—	1	2	2	6	16·39	10·19	
Burra	2,634	105	54	15	—	—	—	4	2	3	2	5	4	39·86	20·50	
Clare	1,075	34	11	—	—	—	—	—	1	—	—	1	1	31·63	10·23	
Jamestown	1,259	45	22	6	1	—	—	—	3	2	3	1	1	35·74	17·47	
Port Augusta	1,551	38	9	4	—	—	—	—	—	—	—	1	—	24·50	5·80	
Port Pirie	7,875	256	134	43	8	1	1	—	20	9	13	5	7	32·51	17·02	
Kadina	1,842	82	38	19	—	—	1	5	2	—	7	4	3	44·52	20·63	
Moonta	1,761	49	31	8	—	—	—	2	—	1	5	1	2	27·83	17·60	
Wallaroo	1,998	83	53	10	—	—	3	4	4	2	7	5	3	41·54	26·53	
Goolwa	768	10	8	2	—	1	—	—	—	1	—	1	—	13·02	10·42	
Strathalbyn	932	32	14	4	—	—	—	—	1	—	4	1	—	34·33	15·02	
Mount Gambier	3,043	100	53	9	—	—	—	—	1	1	1	9	5	32·86	17·42	
Petersburg	2,097	91	27	10	—	—	—	1	3	1	3	3	1	43·40	12·88	

* Exclusive of the additions to its area made since the last census. No

No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in the Province (exclusive of the Northern Territory) from each Cause in 1899, arranged in Order of Fatality, and each corresponding Number in 1898.

Order of Fatality.	Causes of Death.	1899.			1898.	Order of Fatality.	Causes of Death.	1899.			1898.
		Total.	Under 5 years.	5 years and above.				Total.	Under 5 years.	5 years and above.	
1	Old age	331	—	331	401		Hanging (suicidal)	8	—	8	14
2	Phthisis	312	5	307	317		Atelectasis	8	8	—	11
3	Diseases of circulatory system (chiefly of heart) not separately classed	301	14	287	337	43	Aneurism	8	—	8	8
4	Debility, atrophy, inanition	221	212	9	307		Chronic alcoholism	8	—	8	8
5	Influenza	218	18	200	33		Hydatid disease	8	—	8	7
6	Pneumonia	210	77	133	237		Poisoning (accidental)	8	1	7	3
7	Cancer, malignant disease	203	3	200	184		Cut, stab (suicidal)	7	—	7	9
8	Diarrhœa, dysentery	192	166	26	294	44	Murder, manslaughter	7	3	4	7
9	Bronchitis	163	81	82	143		Urinary calculus	7	—	7	5
10	Enteritis	155	122	33	195		Poisoning (suicidal)	7	—	7	4
11	Premature birth	113	113	—	106		Drowning (suicidal)	7	—	7	2
12	Enteric fever	111	3	108	145		Diseases of organs of locomotion not separately classed	6	—	6	12
13	Whooping cough	106	101	5	112	45	Caries, necrosis	6	—	6	11
14	Convulsions (except puerperal)	100	98	2	106		Uraemia	6	—	6	10
15	Apoplexy	92	1	91	87		Suffocation (accidental)	6	6	—	7
16	Fracture and contusion (accidental) ..	77	6	71	81		Sore throat, quinsy	6	2	4	6
17	Inflammation of the brain or its membranes	75	45	30	71		Phlegmon, cellulitis	6	3	3	5
18	Bright's disease	74	—	74	84		Placenta prævia	5	—	5	11
19	Drowning (accidental)	64	5	59	46	46	Idiopathic tetanus	5	5	—	11
20	Tubercular diseases not separately classed	50	12	38	39		Angina pectoris	5	—	5	6
21	Endocarditis, valvular disease of heart	46	—	46	40		Diseases of lymphatic system	5	1	4	6
22	Sunstroke, heat-apoplexy, heat	45	22	23	82		Diseases of integumentary system not separately classed	5	4	1	2
23	Insanity, general paralysis of insane ..	41	—	41	39		Gunshot wounds (suicidal)	4	—	4	10
24	Diphtheria	40	19	21	38		Rheumatism (except of heart and rheumatic fever)	4	—	4	9
25	Dentition	34	34	—	50		Syphilis	4	1	3	6
26	Peritonitis	33	5	28	38		Ovarian disease	4	—	4	5
27	Tubercular meningitis (acute hydrocephalus)	33	18	15	34	47	Spina bifida	4	4	—	5
28	Diseases of the nervous system not separately classed	32	6	26	22		Arthritis, osteitis, periostitis	4	1	3	4
29	Burn, scald (accidental)	31	7	24	39		Cyanosis	4	4	—	4
30	Diseases of liver (except cirrhosis and gallstones)	31	10	21	33		Cleft palate, harelip	4	4	—	2
31	Emphysema, asthma	31	—	31	16		Senile gangrene	4	—	4	2
32	Measles	27	19	8	54		Purpura, hæmorrhagic diathesis	4	1	3	1
33	Acute nephritis	25	3	22	24		Paralysis agitans	4	—	4	1
34	Diseases of respiratory system not separately classed	25	1	24	20		Dyspepsia	3	2	1	10
35	Praemia, septicæmia	25	3	22	11		Simple and ill-defined fever	3	3	—	7
36	Diabetes mellitus	24	—	24	26		Gallstones	3	—	3	5
37	Paralysis not separately classed	22	—	22	27	48	Bronchocele	3	—	3	5
38	Cirrhosis of liver	22	—	22	18		Constitutional diseases not separately classed	3	—	3	4
39	Diseases of urinary system not separately classed	20	—	20	15		Ulceration of intestine	3	2	1	3
40	Hemiplegia, brain paralysis	19	1	18	12		Puerperal convulsions	3	—	3	3
41	Embolism, thrombosis	19	1	18	9		Stomatitis	3	3	—	3
42	Puerperal fever	18	—	18	31		Ascites	3	—	3	2
43	Paraplegia, disease of spinal cord	18	1	17	17		Thrush	3	3	—	—
44	Ill-defined and unspecified causes not separately classed	18	6	12	9		Diseases of larynx and trachea (except croup and laryngitis)	3	2	1	—
45	Ileus, obstruction of intestine	17	1	16	26		Simple cholera	2	2	—	8
46	Syncope	17	—	17	23		Dropsy undefined or ill-defined	2	—	2	5
47	Pleurisy	17	—	17	21		Imperforate anus	2	2	—	4
48	Tabes mesenterica	17	13	4	11	49	Gunshot wounds (accidental)	2	—	2	3
49	Diseases of bladder and prostate	16	—	16	27		Carbuncle	2	—	2	2
50	Rheumatic fever, rheumatism of heart ..	16	1	15	20		Abortion, miscarriage	2	—	2	2
51	Epilepsy	16	2	14	17		Laryngismus stridulus	2	1	1	2
52	Scarlet fever	16	13	3	15		Addison's disease	2	—	2	2
53	Diseases of digestive system not separately classed	16	5	11	10		Hæmorrhage undefined or ill-defined ..	2	—	2	1
54	Congenital defects not separately classed ..	16	16	—	8		Rickets	2	2	—	1
55	Starvation, want of breast milk	15	12	3	32		Lightning	2	—	2	1
56	Disease of stomach	15	2	13	18		Lupus	2	—	2	1
57	Anæmia, chlorosis, leucocythæmia	14	—	14	14		Cut, stab (accidental)	2	—	2	1
58	Hernia	14	—	14	9		Pelvic abscess	2	—	2	—
59	Accidents of childbirth not separately classed ..	11	—	11	12		Intussusception of intestine	2	2	—	—
60	Laryngitis	11	10	1	7		Pericarditis	2	—	2	—
61	Accidents not separately classed	10	7	3	9		Gonorrhœa, stricture of urethra	2	—	2	—
62	Softening of brain	10	—	10	4		Gout	1	—	1	3
63	Croup	9	8	1	14		Diseases of spleen	1	—	1	3
64	Erysipelas	9	3	6	13		Otitis, otorrhœa, and disease of ear ..	1	1	—	2
65	Diseases of uterus and vagina	9	—	9	11		Suicides not separately classed	1	—	1	2
							Epistaxis and disease of nose	1	1	—	1
							Puerperal mania	1	—	1	1
							Malarial diseases not separately classed	1	—	1	1
							Mumps	1	1	—	—
							Chicken-pox	1	1	—	—
							Phagedæna	1	1	—	—
							Diseases of vegetable parasites (except thrush)	1	—	1	—
							Malaena	1	1	—	—
							Phlebitis	1	—	1	—

No. 27.—DECENNIAL RETURN showing the Total Deaths in each Class and Order Registered in the Province (exclusive of the Northern Territory).

	1890.		1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL CAUSES	2,187	1,736	2,252	1,959	2,039	1,672	2,467	2,053	2,184	1,817	2,165	1,756	2,121	1,917	2,192	1,781	2,584	2,091	2,362	2,044
I.—SPECIFIC FEBRILE OR ZYMOTIC DISEASES	335	349	359	350	277	236	448	478	307	298	262	268	261	293	236	227	389	383	379	398
II.—PARASITIC DISEASES	5	5	5	14	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6
III.—DIETIC DISEASES	26	18	23	18	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3
IV.—CONSTITUTIONAL DISEASES	332	269	369	311	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335
V.—DEVELOPMENTAL DISEASES	214	168	252	228	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233
VI.—LOCAL DISEASES	949	764	917	852	887	738	1,014	806	954	811	946	762	921	851	965	871	1,119	887	1,023	875
VII.—VIOLENCE	185	53	158	49	154	43	185	51	164	62	189	41	190	70	179	74	220	98	200	88
VIII.—ILL-DEFINED AND NOT SPECIFIED CAUSES	141	110	169	137	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106
I.																				
1. Miasmatic Diseases	233	230	230	243	145	106	295	314	196	161	138	143	100	95	89	85	204	203	259	264
2. Diarrhoeal Diseases	81	89	112	79	118	103	132	130	99	108	105	93	134	120	131	112	163	139	99	95
3. Malarial Diseases	2	—	—	1	2	—	1	—	1	—	—	1	—	—	1	—	2	—	1	—
4. Zoogenous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Venereal Diseases	9	3	8	3	3	3	7	4	4	3	5	—	3	2	3	3	4	2	3	3
6. Septic Diseases	10	27	9	24	9	24	13	30	7	26	14	31	23	76	13	26	16	39	17	36
II.																				
Parasitic Diseases	5	5	5	14	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6
III.																				
Dietic Diseases	26	18	23	18	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3
IV.																				
Constitutional Diseases	332	269	369	311	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335
V.																				
Developmental Diseases	214	168	252	228	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233
VI.																				
1. Diseases of Nervous System	235	169	240	174	218	193	262	186	251	175	244	184	223	206	216	203	234	182	233	203
2. Organs of Special Sense	5	2	3	1	2	2	3	—	5	4	2	3	5	8	2	7	3	—	1	1
3. Circulatory System	164	142	147	154	169	124	185	146	182	159	165	174	166	160	217	189	235	192	216	187
4. Respiratory System	305	251	301	256	229	175	289	224	250	213	242	137	233	182	225	167	269	189	262	207
5. Digestive System	153	125	149	148	182	155	178	144	168	164	174	167	191	195	200	196	238	191	199	162
6. Lymphatic System and Ductless Glands	3	3	5	2	3	—	5	2	1	7	2	8	5	3	2	4	6	10	4	7
7. Urinary System	71	32	58	44	72	30	74	39	81	36	97	35	84	47	79	51	109	59	91	57
8. Reproductive System—																				
(a) Diseases of Organs of Generation	1	8	—	14	2	15	—	15	1	12	2	17	2	11	1	16	1	16	—	15
(b) Diseases of Parturition	—	25	—	46	—	32	—	37	—	28	—	27	—	30	—	28	—	29	—	22
9. Organs of Locomotion	5	3	6	11	6	8	13	7	9	7	7	8	7	16	7	16	11	6	10	10
10. Integumentary System	7	4	8	2	4	4	5	6	6	6	11	2	4	2	7	3	8	8	11	4
VII.																				
1. Accident or Negligence	164	50	131	42	128	39	148	36	135	53	164	36	160	61	136	62	182	88	175	72
2. Homicide	2	—	2	1	2	1	5	6	2	1	4	3	6	2	2	2	2	5	3	4
3. Suicide	19	3	25	6	24	3	32	9	26	8	21	2	24	7	40	10	36	5	22	12
4. Execution	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
VIII.																				
Ill-defined and not specified causes	141	110	16	137	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in the Province (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1890.		1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I.	<i>Miasmatic Diseases.</i>																				
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Chicken-pox	2	1	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—
	Measles	1	—	—	—	—	—	130	131	15	13	1	1	—	—	—	—	25	29	8	19
	Epidemic Rose Rash	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	1	1	—	—
	Scarlet Fever	2	1	—	4	1	1	4	1	19	16	5	5	2	2	3	4	11	4	6	10
	Influenza	30	24	88	84	27	13	22	27	32	21	58	57	31	28	19	18	12	21	114	104
	Whooping Cough	48	81	21	21	5	7	58	63	35	25	20	24	3	14	—	—	57	55	52	54
	Mumps	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	Diphtheria	95	79	74	99	54	52	43	57	47	50	15	22	11	10	8	14	15	23	20	20
	Cerebro-spinal Fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and ill-defined Fever	2	3	3	4	5	—	1	4	2	2	1	—	1	—	—	2	5	2	1	2
	Enteric Fever	53	41	43	30	52	31	33	29	46	34	37	34	52	41	59	47	77	68	57	54
	<i>Diarrhoeal Diseases.</i>																				
	Simple Cholera	3	3	7	2	7	5	8	5	2	4	4	2	5	5	5	5	2	6	2	—
	Diarrhoea, Dysentery	78	86	105	77	111	98	124	125	97	104	101	91	129	115	126	107	161	133	97	95
	<i>Malarial Diseases.</i>																				
	Remittent Fever	1	—	—	—	2	—	1	—	1	—	—	1	1	—	—	1	—	—	—	—
	Ague, Intermittent Fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
	<i>Zoogenous Diseases.</i>																				
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																				
	Syphilis	7	3	6	3	2	3	4	4	3	3	3	—	2	2	1	3	4	2	1	3
	Gonorrhoea, Stricture of Urethra ..	2	—	2	—	1	—	3	—	1	—	2	—	1	—	2	—	—	—	2	—
	<i>Septic Diseases.</i>																				
	Phagedæna	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Erysipelas	4	5	4	1	5	5	7	6	4	6	8	5	15	14	9	7	9	4	4	5
	Pyæmia, Septicæmia	4	9	5	7	4	5	6	5	3	6	6	5	8	14	4	8	9	4	13	12
	Puerperal Fever	—	13	—	15	—	14	—	19	—	14	—	21	—	48	11	—	31	—	—	18
II.	<i>Parasitic Diseases.</i>																				
	Thrush	2	—	2	4	2	3	5	4	2	—	1	—	3	1	2	3	—	—	—	3
	Other Diseases from Vegetable Parasites	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
	Hydatid Disease	3	5	3	9	11	1	4	7	5	6	6	9	6	4	8	3	4	3	5	3
	Other Diseases from Animal Parasites ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	<i>Dietic Diseases.</i>																				
	Starvation, Want of Breast Milk ..	15	12	10	9	5	9	15	13	14	10	11	9	8	7	15	7	19	13	13	2
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism ..	9	6	12	9	6	4	7	2	3	3	7	2	6	4	5	1	4	4	7	1
	{ Delirium Tremens ..	2	—	1	—	1	—	2	—	2	—	—	—	1	—	5	—	2	—	—	—
IV.	<i>Constitutional Diseases.</i>																				
	Rheumatic Fever, Rheumatism of Heart	5	7	8	9	6	8	8	8	7	8	7	5	13	8	7	8	12	6	10	10
	Rheumatism	6	3	6	6	1	6	1	3	7	4	5	4	3	3	6	4	5	4	1	3
	Gout	12	3	6	3	6	2	5	1	6	1	5	4	7	6	6	3	3	—	—	—
	Cancer, Malignant Disease	68	61	86	70	87	61	88	83	83	79	86	80	98	88	107	78	95	89	104	99
	Tabes Mesenterica	11	9	14	12	12	14	8	5	10	6	9	2	3	6	9	5	4	7	9	8
	Tubercular Meningitis (Acute Hydrocephalus)	22	24	34	20	17	22	35	15	28	15	20	25	18	21	28	21	20	14	16	17
	Phthisis	165	129	178	151	157	150	178	162	188	168	166	169	153	155	165	143	179	138	169	143
	Other forms of Tuberculosis, Scrophula ..	25	15	21	19	25	16	29	28	23	23	31	29	38	27	21	18	15	24	22	28
	Anæmia, Chlorosis, Leucocythæmia ..	8	7	3	9	2	13	5	5	11	8	7	9	11	5	5	4	10	3	11	11
	Diabetes Mellitus	8	5	8	6	11	6	10	4	11	8	14	12	18	15	8	13	13	13	14	10
	Other Constitutional Diseases	2	6	5	6	2	3	3	6	5	4	2	9	1	6	4	4	2	4	3	6
V.	<i>Developmental Diseases.</i>																				
	Premature Birth	55	39	68	39	48	36	69	58	71	37	57	41	53	44	57	39	63	43	64	49
	Atelectasis	4	1	3	1	1	2	3	3	8	4	4	4	5	2	5	5	7	4	7	1
	Cyanosis	1	—	6	—	3	—	2	1	3	2	2	3	—	—	1	—	2	2	3	1
	Spina Bifida	4	1	1	4	3	1	2	2	—	3	2	1	2	5	2	—	3	2	1	3
	Imperforate Anus	—	—	1	1	1	—	2	—	—	1	1	1	2	1	2	—	3	1	2	—
	Cleft Palate, Harelip	—	—	—	1	1	—	1	1	—	—	1	1	1	—	—	2	—	3	1	1
	Other Congenital Defects	8	3	8	7	6	5	10	7	11	6	11	14	5	4	5	1	5	3	11	5
	Old Age	142	124	165	175	143	141	160	158	138	144	170	133	160	157	197	138	212	189	158	173
VI.	<i>Diseases of Nervous System.</i>																				
	Inflammation of Brain or its Membranes	40	20	19	22	36	25	41	27	41	27	36	29	32	30	38	35	40	31	38	37
	Apoplexy	51	36	56	45	38	47	41	38	48	52	45	40	50	56	41	54	45	42	45	47
	Softening of Brain	6	1	8	3	4	6	4	5	3	3	7	1	5	4	3	6	2	2	4	6

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in the Province (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1890.		1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
<i>Diseases of Nervous System—contd.</i>																					
Hemiplegia, Brain Paralysis	14	5	8	8	4	3	5	7	6	8	5	8	7	4	9	7	6	6	11	8	
Insanity, General Paralysis of Insane	22	25	38	22	30	15	29	13	29	15	37	14	31	12	16	21	24	15	20	21	
Chorea	—	1	—	—	—	3	—	3	—	1	—	—	—	2	—	—	—	—	—	—	
Epilepsy	10	11	6	6	10	13	15	9	13	10	11	7	3	6	8	5	9	8	10	6	
Convulsions	57	42	49	45	54	59	78	55	63	32	59	45	51	51	59	46	56	50	61	39	
Laryngismus Stridulus	1	1	1	—	2	—	1	—	2	1	—	—	1	1	1	—	2	—	1	1	
Idiopathic Tetanus	—	2	—	—	1	—	2	2	3	2	4	6	1	3	3	—	9	2	5	—	
Paraplegia, Disease of Spinal Cord	7	1	12	2	12	3	3	1	10	4	15	3	4	8	6	14	3	12	6	—	
Other Diseases of Nervous System..	27	24	43	21	27	19	43	26	33	20	25	31	38	29	32	23	27	23	26	32	
<i>Diseases of Organs of Special Sense.</i>																					
Otitis, Otorrhœa, and Disease of Ear	3	1	3	—	2	2	2	—	4	4	2	3	4	8	1	5	2	—	1	—	
Ophthalmia and Disease of Eye....	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	
Epistaxis and Disease of Nose ...	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	
<i>Diseases of Circulatory System.</i>																					
Endocarditis, Valvular Disease	17	16	32	21	19	11	22	21	25	25	24	17	11	11	22	20	15	25	27	19	
Pericarditis	2	—	1	2	1	2	2	1	2	—	—	1	1	1	4	4	—	—	1	1	
Hypertrophy of Heart	—	—	—	2	—	1	3	—	—	1	—	—	—	—	—	—	1	1	—	—	
Angina Pectoris	2	2	3	1	—	3	3	2	1	1	1	2	—	11	2	4	2	3	2	2	
Syncope	7	9	3	4	9	7	9	5	11	7	8	7	8	12	6	17	13	10	7	10	
Aneurism	9	1	6	—	10	2	7	1	7	2	6	2	9	1	7	—	8	—	7	1	
Senile Gangrene	—	—	2	—	1	—	3	1	2	3	2	1	1	2	—	2	—	2	2	2	
Embolism, Thrombosis	4	4	3	5	2	5	6	4	8	4	8	6	4	10	4	10	3	6	12	7	
Phlebitis	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	3	—	—	—	1	
Varicose Veins	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Other Diseases of Circulatory System	123	108	97	119	126	96	130	108	125	116	116	138	130	123	163	133	189	148	157	144	
<i>Diseases of Respiratory System.</i>																					
Laryngitis	5	6	6	4	3	2	11	7	1	3	9	1	4	3	2	2	6	1	5	6	
Croup	30	27	26	24	22	11	23	7	10	6	13	3	2	2	7	5	10	4	7	2	
Other diseases of Larynx and Trachea	1	1	3	2	2	—	1	—	1	—	3	1	—	—	1	—	—	—	2	1	
Emphysema, Asthma	7	7	7	5	10	3	6	—	15	7	8	6	12	2	8	7	10	6	16	15	
Bronchitis	117	106	72	94	68	65	100	75	85	80	78	44	74	70	65	53	78	65	86	77	
Pneumonia	122	80	161	111	107	80	115	115	118	98	104	74	117	88	117	79	144	93	120	90	
Pleurisy	9	8	14	9	4	10	14	7	8	7	16	2	13	8	15	8	10	11	12	5	
Other Diseases of Respiratory System	14	16	12	7	13	4	19	13	12	12	11	6	11	9	10	13	11	9	14	11	
<i>Diseases of Digestive System.</i>																					
Stomatitis	—	1	1	1	—	2	4	—	2	—	1	1	1	1	1	—	1	3	2	1	
Dentition	19	13	24	19	33	25	38	35	23	19	25	22	23	29	24	24	37	13	19	15	
Sore Throat, Quinsy	2	3	3	—	3	2	2	1	5	3	4	1	2	4	1	1	4	2	3	3	
Dyspepsia	3	5	1	1	3	2	2	3	2	5	1	1	5	7	3	3	7	3	2	1	
Hæmatemesis	2	1	3	2	1	1	1	—	2	—	—	—	2	3	1	—	—	—	—	—	
Melæna	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	
Disease of Stomach.....	20	5	15	13	13	13	6	11	13	10	13	16	10	16	17	8	6	12	10	5	
Enteritis	28	26	32	29	50	39	56	36	45	53	60	63	77	54	83	80	108	87	80	75	
Ulceration of Intestine	2	1	1	2	—	1	2	1	1	—	—	1	2	—	2	4	3	3	1	2	
Ileus, Obstruction of Intestine	14	6	10	10	12	7	7	8	8	12	5	11	13	12	13	15	13	13	11	6	
Stricture or Strangulation of Intestine	—	2	—	1	2	—	—	—	2	3	1	2	2	—	—	—	1	—	—	—	
Intussusception of Intestine	5	2	3	2	3	2	3	5	3	1	1	2	2	—	—	2	—	2	—	—	
Hernia	4	5	3	4	2	5	7	6	7	3	6	7	5	4	4	5	6	3	7	7	
Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis.....	12	12	12	13	16	14	10	12	13	18	20	16	7	31	14	15	17	21	17	16	
Ascites	1	3	—	1	1	—	3	1	—	3	2	1	2	—	1	1	1	1	1	1	
Gallstones	—	4	—	2	4	1	1	3	2	5	—	1	1	3	3	4	—	5	1	2	
Cirrhosis of Liver	12	7	11	16	8	9	12	1	12	8	5	2	12	4	3	8	13	5	12	10	
Other Diseases of Liver	19	20	18	17	17	19	22	11	20	16	18	12	15	21	23	21	17	16	21	10	
Other Diseases of Digestive System	10	9	12	15	13	13	6	7	8	8	9	8	11	4	8	5	6	9	7	7	
<i>Diseases of Lymphatic System and Ductless Glands.</i>																					
Diseases of Lymphatic System	2	2	3	—	2	—	3	1	—	4	1	2	4	—	1	2	3	3	3	2	
Diseases of Spleen	—	1	—	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	
Bronchocele	—	—	—	1	—	—	1	—	—	1	—	3	—	2	—	1	1	4	—	3	
Addison's Disease	1	—	2	1	—	—	1	1	1	1	1	3	1	—	1	2	—	—	—	2	
<i>Diseases of Urinary System.</i>																					
Acute Nephritis	2	5	2	6	7	11	6	3	7	5	12	7	9	9	10	18	12	12	13	12	
Bright's Disease	32	18	31	25	29	10	34	28	45	23	51	22	38	24	30	25	48	36	41	33	
Uræmia	5	4	3	9	6	2	1	1	1	4	3	3	5	5	9	2	5	5	3	3	
Suppression of Urine	2	—	—	1	—	1	—	2	—	1	1	—	2	—	—	—	—	—	—	—	
Calculus	4	1	1	—	3	1	7	—	1	1	1	—	4	—	—	1	4	1	6	1	
Hæmaturia	1	—	2	1	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	
Diseases of Bladder and of Prostate	21	1	15	1	20	1	19	2	22	1	22	—	19	2	20	1	25	2	16	—	
Other Diseases of Urinary System..	4	3	4	2	5	5	6	5	2	2	6	3	7	6	10	4	12	3	12	8	

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in the Province (exclusive of the Northern Territory)—*continued*.

Class.	Cause of Death.	1890.		1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
<i>Diseases of Organs of Generation.</i>																					
	Ovarian Disease	—	4	—	6	—	7	—	6	—	4	—	6	—	3	—	5	—	5	—	4
	Diseases of Uterus and Vagina	—	3	—	7	—	7	—	9	—	7	—	11	—	4	—	10	—	11	—	9
	Disorders of Menstruation	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
	Pelvic Abscess	—	1	—	—	—	1	—	—	—	—	—	1	—	3	—	1	—	—	—	2
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	Diseases of testes, scrotum, &c. ..	1	—	—	—	2	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—
<i>Diseases of Parturition.</i>																					
	Abortion, Miscarriage	—	1	—	6	—	3	—	4	—	2	—	2	—	4	—	1	—	2	—	2
	Puerperal Mania	—	—	—	2	—	5	—	—	—	1	—	1	—	1	—	—	—	1	—	1
	Puerperal Convulsions	—	6	—	9	—	4	—	3	—	6	—	—	—	2	—	6	—	3	—	3
	Placenta Prævia, Flooding	—	3	—	8	—	3	—	10	—	6	—	4	—	7	—	7	—	11	—	5
	Phlegmasia Dolens	—	—	—	1	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—
	Other Accidents of Childbirth	—	15	—	20	—	17	—	19	—	12	—	20	—	14	—	14	—	12	—	11
<i>Diseases of Organs of Locomotion.</i>																					
	Caries, Necrosis	3	1	3	6	5	5	10	5	3	4	4	4	2	5	7	2	6	5	1	5
	Arthritis, Ostitis, Periostitis	—	1	—	—	—	2	2	—	1	1	2	—	2	2	3	—	3	1	2	2
	Other Diseases of Organs of Locomotion	2	1	3	5	1	1	1	2	5	2	1	4	4	—	6	5	7	5	3	3
<i>Diseases of Integumentary System.</i>																					
	Carbuncle	1	—	—	—	—	1	1	1	2	1	1	—	1	—	1	1	1	1	2	—
	Phlegmon, Cellulitis	1	1	4	1	1	—	1	1	1	1	4	1	1	—	4	2	3	2	5	1
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	—
	Ulcer, Bedsore	—	1	1	—	—	—	—	1	1	—	1	—	1	—	—	—	—	1	—	—
	Eczema	4	2	2	1	2	1	3	3	2	1	4	1	1	1	2	—	2	3	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	1	—	1	—	1	2	—	—	—	2	—	—	—	—	—	—	1	1	2	3
VII.	<i>Accident or Negligence.</i>																				
	Fracture and Contusion	71	15	65	12	58	17	70	14	45	13	71	9	72	16	58	13	68	13	65	12
	Gunshot Wounds	3	—	6	—	8	—	6	1	2	—	3	1	4	—	5	—	3	—	2	—
	Cut, Stab	1	—	1	—	1	—	—	—	3	1	1	—	1	—	—	—	1	—	1	1
	Burn, Scald	14	13	4	11	6	5	7	5	12	17	10	10	11	19	11	17	12	27	8	23
	Poison	4	5	8	2	12	1	8	2	5	1	5	—	4	2	3	2	3	—	6	2
	Drowning	46	6	34	9	26	6	29	7	52	11	39	3	33	7	28	7	43	3	56	8
	Suffocation	11	4	11	4	7	5	13	3	6	3	8	5	7	3	2	3	4	—	2	4
	Otherwise	14	7	2	4	10	5	15	4	10	7	27	8	28	14	29	20	49	44	35	22
<i>Homicide.</i>																					
	Murder, Manslaughter	2	—	2	1	2	1	4	6	2	1	4	3	6	2	2	2	2	5	3	4
	Justifiable Homicide	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Suicide.</i>																					
	Gunshot Wounds	5	—	5	1	6	—	11	—	8	2	5	1	8	—	9	1	10	—	4	—
	Cut, Stab	4	—	6	2	4	—	5	1	4	2	2	—	3	1	10	—	8	1	7	—
	Poison	3	1	2	—	8	—	7	2	3	1	1	1	2	2	6	5	4	—	3	4
	Drowning	2	2	4	1	1	—	4	4	2	1	1	—	2	3	4	3	1	1	1	6
	Hanging	5	—	6	1	5	2	3	2	8	1	11	—	8	1	11	—	12	2	7	1
	Otherwise	—	—	2	1	—	1	2	—	1	1	1	—	1	—	—	1	1	1	—	1
<i>Execution.</i>																					
	Hanging	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
III.	<i>Ill-defined and Not Specified Causes.</i>																				
	Dropsy	1	6	4	7	1	2	2	4	5	2	5	2	5	2	3	3	2	3	2	—
	Debility, Atrophy, Inanition	123	90	148	117	138	145	145	124	107	93	116	107	121	117	120	97	174	133	123	98
	Mortification	—	2	1	2	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Tumor	—	—	2	2	—	—	2	1	1	1	—	3	—	—	—	1	—	1	—	—
	Abscess	2	1	—	—	—	1	3	1	1	1	2	1	—	2	1	—	2	1	—	—
	Hæmorrhage	—	3	2	2	1	2	—	1	1	—	1	—	4	—	3	2	1	—	1	1
	Sudden Death (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	15	8	12	7	22	2	16	11	13	7	17	5	14	8	13	9	5	4	11	7

No. 28.—RETURN showing the Total Number of Deaths in the Province (exclusive of the Northern Territory) from each cause during Ten Years, 1890-1899.

Class.	Causes of Death.							Total.	Males.	Females.
	ALL CAUSES							41,379	22,553	18,826
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES							6,533	3,253	3,280
II.	PARASITIC DISEASES							145	76	69
III.	DIETIC DISEASES							334	207	127
IV.	CONSTITUTIONAL DISEASES							6,709	3,541	3,168
V.	DEVELOPMENTAL DISEASES							4,524	2,441	2,083
VI.	LOCAL DISEASES							17,912	9,695	8,217
VII.	VIOLENCE							2,453	1,824	629
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES							2,769	1,516	1,253
	I.									
	1. Miasmatic Diseases							3,733	1,889	1,844
	2. Diarrhoeal Diseases							2,242	1,174	1,068
	3. Malarial Diseases							13	10	3
	4. Zoogenous Diseases							—	—	—
	5. Venereal Diseases							75	49	26
	6. Septic Diseases.. .. .							470	131	339
	II.									
	Parasitic Diseases							145	76	69
	III.									
	Dietic Diseases							334	207	127
	IV.									
	Constitutional Diseases							6,709	3,541	3,168
	V.									
	Developmental Diseases							4,524	2,441	2,083
	VI.									
	1. Diseases of Nervous System							4,231	2,356	1,875
	2. " Organs of Special Sense							59	31	28
	3. " Circulatory System							3,473	1,846	1,627
	4. " Respiratory System							4,606	2,605	2,001
	5. " Digestive System							3,479	1,832	1,647
	6. " Lymphatic System and Ductless Glands							82	36	46
	7. " Urinary System							1,246	816	430
	8. " Reproductive System—									
	(a) Diseases of Organs of Generation							149	10	139
	(b) Diseases of Parturition							304	—	304
	9. " Organs of Locomotion							171	92	79
	10. " Integumentary System							112	71	41
	VII.									
	1. Accident or Negligence							2,062	1,523	539
	2. Homicide							55	30	25
	3. Suicide							334	269	65
	4. Execution							2	2	—
	VIII.									
	Ill-defined and not Specified Causes							2,769	1,516	1,253
	Miasmatic Diseases.									
1.	Small-pox							1	1	—
	Chicken-pox							9	5	4
	Measles							373	180	193
	Epidemic Rose Rash							6	4	2
	Scarlet Fever							101	53	48
	Influenza							830	433	397
	Whooping Cough							643	299	344
	Mumps							3	2	1
	Diphtheria							808	382	426
	Cerebro-spinal Fever							1	—	1
	Simple and Ill-defined Fever							40	21	19
	Enteric Fever							918	509	409
	Diarrhoeal Diseases.									
	Simple Cholera							82	45	37
	Diarrhoea, Dysentery							2,160	1,129	1,031
	Malarial Diseases.									
	Remittent Fever							8	6	2
	Ague, Intermittent Fever							3	2	1
	Other Malarial Diseases							2	2	—
	Zoogenous Diseases.									
	Glanders							—	—	—

No. 28.—RETURN of the Total Number of Deaths, &c.—continued.

Class.	Cause of Death.	Total.	Males.	Females.
<i>Venereal Diseases.</i>				
	Syphilis	59	33	26
	Gonorrhœa, Stricture of Urethra	16	16	—
<i>Septic Diseases.</i>				
	Phagedaena	4	2	2
	Erysipelas	127	69	58
	Pyæmia, Septicæmia	135	60	75
	Puerperal Fever	204	—	204
<i>Parasitic Diseases.</i>				
II.	Thrush	37	19	18
	Other Diseases from Vegetable Parasites	3	2	1
	Hydatid Disease	105	55	50
	Other Diseases from Animal Parasites	—	—	—
<i>Dietic Diseases.</i>				
III.	Starvation, Want of Breast Milk	216	125	91
	Scurvy	—	—	—
	Intemperance { Chronic Alcoholism	102	66	36
	{ Delirium Tremens	16	16	—
<i>Constitutional Diseases.</i>				
IV.	Rheumatic Fever, Rheumatism of Heart	158	70	88
	Rheumatism	81	41	40
	Gout	71	57	14
	Cancer, Malignant Disease	1,690	902	788
	Tabes Mesenterica	163	89	74
	Tubercular Meningitis (Acute Hydrocephalus)	432	238	194
	Phthisis	3,206	1,698	1,508
	Other forms of Tuberculosis, Scrofula	477	250	227
	Anæmia, Chlorosis, Leucoeythæmia	141	52	89
	Diabetes Mellitus	207	115	92
	Other Constitutional Diseases	83	29	54
<i>Developmental Diseases.</i>				
V.	Premature Birth	1,030	605	425
	Atelectasis	74	47	27
	Cyanosis	32	23	9
	Spina Bifida	42	20	22
	Imperforate Anus	19	14	5
	Cleft Palate, Harelip	15	7	8
	Other Congenital Defects	135	80	55
	Old Age	3,177	1,645	1,532
<i>Diseases of Nervous System.</i>				
VI.	Inflammation of Brain or its Membranes	644	361	283
	Apoplexy	917	460	457
	Softening of Brain	83	46	37
	Hemiplegia, Brain Paralysis	139	75	64
	Insanity, General Paralysis of Insane	449	276	173
	Chorea	10	—	10
	Epilepsy	176	95	81
	Convulsions	1,051	587	464
	Laryngismus Stridulus	16	12	4
	Idiopathic Tetanus	45	28	17
	Paraplegia, Disease of Spinal Cord	132	95	37
	Other Diseases of Nervous System	569	321	248
<i>Diseases of Organs of Special Sense.</i>				
	Otitis, Otorrhœa and Disease of Ear	47	24	23
	Ophthalmia and Disease of Eye	6	3	3
	Epistaxis, Disease of Nose	6	4	2
<i>Diseases of Circulatory System.</i>				
	Endocarditis, Valvular Disease	400	214	186
	Pericarditis	26	14	12
	Hypertrophy of Heart	9	4	5
	Angina Pectoris	45	31	14
	Syncope	169	81	88
	Aneurism	86	76	10
	Senile Gangrene	24	15	9
	Embolism, Thrombosis	115	54	61
	Phlebitis	8	1	7
	Varicose Veins	2	—	2
	Other Diseases of Circulatory System	2,589	1,356	1,233

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
<i>Diseases of Respiratory System.</i>				
Laryngitis	87	52	35
Croup	241	150	91
Other Diseases of Larynx and Trachea	19	14	5
Emphysema, Asthma	157	99	58
Bronchitis	1,552	823	729
Pneumonia	2,133	1,225	908
Pleurisy	190	115	75
Other Diseases of Respiratory System	227	127	100
<i>Diseases of Digestive System.</i>				
Stomatitis	23	13	10
Dentition	479	265	214
Sore Throat, Quinsy	49	29	20
Dyspepsia	60	29	31
Hæmatemesis	20	12	8
Melæna	2	1	1
Disease of Stomach	232	123	109
Enteritis	1,161	619	542
Ulceration of Intestines	26	13	13
Ileus, Obstruction of Intestines	206	106	100
Stricture, or Strangulation of Intestines	14	8	6
Intussusception of Intestines	38	22	16
Hernia	100	51	49
Fistula	1	1	—
Peritonitis	306	138	168
Ascites	25	10	15
Gallstones	42	12	30
Cirrhosis of Liver	170	100	70
Other Diseases of Liver	353	190	163
Other Diseases of Digestive System	172	90	82
<i>Diseases of Lymphatic System and Ductless Glands.</i>				
Diseases of Lymphatic System	38	22	16
Diseases of Spleen	9	3	6
Bronchocele	17	2	15
Addison's Disease	18	9	9
<i>Diseases of Urinary System.</i>				
Acute Nephritis	168	80	88
Bright's Disease	623	379	244
Uræmia	79	41	38
Suppression of Urine	11	11	—
Calculus	38	31	7
Hæmaturia	8	7	1
Diseases of Bladder and Prostate	210	199	11
Other Diseases of Urinary System	109	68	41
<i>Diseases of Organs of Generation.</i>				
Ovarian Disease	50	—	50
Diseases of Uterus and Vagina	78	—	78
Disorders of Menstruation	4	—	4
Pelvic Abscess	9	2	7
Perineal Abscess	2	2	—
Diseases of Testes, Scrotum, &c.	6	6	—
<i>Diseases of Parturition.</i>				
Abortion, Miscarriage	27	—	27
Puerperal Mania	12	—	12
Puerperal Convulsions	42	—	42
Placenta Prævia, Flooding	64	—	64
Phlegmasia Dolens	5	—	5
Other Accidents of Childbirth	154	—	154
<i>Diseases of Organs of Locomotion.</i>				
Caries, Necrosis	86	44	42
Arthritis, Ostitis, Periostitis	24	15	9
Other Diseases of Organs of Locomotion	61	33	28
<i>Diseases of Integumentary System.</i>				
Carbuncle	15	10	5
Phlegmon, Cellulitis	35	25	10
Lupus	5	4	1
Ulcer, Bedsore	7	4	3
Eczema	35	22	13
Pemphigus	1	—	1
Other Diseases of Integumentary System	14	6	8

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.							Total.	Males.	Females.
VII.	<i>Accident or Negligence.</i>									
	Fracture and Contusion	777	643	134
	Gunshot Wounds	44	42	2
	Cut, Stab	12	9	3
	Burn, Scald	242	95	147
	Poison	75	58	17
	Drowning	453	386	67
	Suffocation	105	71	34
	Otherwise	354	219	135
	<i>Homicide.</i>									
	Murder, Manslaughter	54	29	25
	Justifiable Homicide	1	1	—
	<i>Suicide.</i>									
	Gunshot Wounds	76	71	5
	Cut, Stab	60	53	7
	Poison	55	39	16
	Drowning	43	22	21
	Hanging	86	76	10
	Otherwise	14	8	6
	<i>Execution.</i>									
	Hanging	2	2	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>									
	Dropsy	61	30	31
	Debility, Atrophy, Inanition	2,436	1,315	1,121
	Mortification	8	3	5
	Tumor	14	5	9
	Abscess	19	11	8
	Hæmorrhage	25	14	11
	Sudden Death (cause unascertained)	—	—	—
	Other Ill-defined and not Specified Causes	206	138	68

No. 29.—RETURN showing the Number of Deaths in the Province (exclusive of the Northern Territory) from each Cause during the Ten Years, 1890-1899, arranged in the Order of Fatality.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.	Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Phthisis	3,206	1,698	1,508	73	Dropsy undefined or ill-defined	61	30	31
2	Old age	3,177	1,645	1,532		Diseases of organs of locomotion not separately			
3	Diseases of circulatory system (chiefly of heart)					classed	61	33	28
	not separately classed	2,589	1,356	1,233	74	Dyspepsia	60	29	31
4	Debility, atrophy, inanition	2,436	1,315	1,121		Cut, stab (suicidal)	60	53	7
5	Diarrhoea, dysentery	2,160	1,129	1,031	75	Syphilis	59	33	26
6	Pneumonia	2,133	1,225	908	76	Poisoning (suicidal)	55	39	16
7	Cancer, malignant disease	1,690	902	788	77	Murder, manslaughter	54	29	25
8	Bronchitis	1,552	823	729	78	Ovarian disease	50	—	50
9	Enteritis	1,101	619	542	79	Sore throat, quinsy	49	29	20
10	Convulsions (except puerperal)	1,051	587	464	80	Otitis, otorrhoea, and disease of ear	47	24	23
11	Premature birth	1,030	605	425	81	Idiopathic tetanus	45	28	17
12	Enteric fever	918	509	409		Angina pectoris	45	31	14
13	Apoplexy	917	400	457	82	Gunshot wounds (accidental)	44	42	2
14	Influenza	830	433	397	83	Drowning (suicidal)	43	22	21
15	Diphtheria	808	382	426		Spina bifida	42	20	22
16	Fracture and contusion (accidental)	777	643	134	84	Gallstones	42	12	30
17	Inflammation of brain or its membranes	644	361	283		Puerperal convulsions	42	—	42
18	Whooping cough	643	299	344	85	Simple and ill-defined fever	40	21	19
19	Bright's disease	623	379	244		Urinary calculus	38	31	7
20	Diseases of nervous system not separately				86	Diseases of lymphatic system	38	22	16
	classed	569	321	248		Intussusception of intestine	38	22	16
21	Dentition	479	265	214	87	Thrush	37	19	18
22	Tubercular diseases not separately classed	477	250	227	88	Phlegmon, cellulitis	35	25	10
23	Drowning (accidental)	453	386	67		Eczema	35	22	13
24	Insanity, general paralysis of insane	449	276	173	89	Cyanosis	32	23	9
25	Tubercular meningitis (acute hydrocephalus)	432	238	194	90	Abortion, miscarriage	27	—	27
26	Endocarditis, valvular disease of the heart	400	214	186		Ulceration of intestine	26	13	13
27	Measles	373	180	193	91	Pericarditis	26	14	12
28	Accidents not separately classed	354	219	135		Ascites	25	10	15
29	Diseases of liver (except cirrhosis and				92	Hæmorrhage undefined or ill-defined	25	14	11
	gallstones)	353	190	163		Arthritis, osteitis, periostitis	24	15	9
30	Peritonitis	306	138	168	93	Senile gangrene	24	15	9
31	Burn, scald (accidental)	242	95	147	94	Stomatitis	23	13	10
32	Croup	241	150	91	95	Hæmatemesis	20	12	8
33	Disease of stomach	232	123	109		Abscess undefined or ill-defined	19	11	8
34	Diseases of respiratory system not separately				96	Diseases of larynx and trachea (except croup			
	classed	227	127	100		and laryngitis)	19	14	5
35	Starvation, want of breast milk	216	125	91		Imperforate anus	19	14	5
36	Diseases of bladder and prostate	210	199	11	97	Addison's disease	18	9	9
37	Diabetes mellitus	207	115	92	98	Bronchocele	17	2	15
38	Ill-defined and unspecified causes not separately					Laryngismus stridulus	16	12	4
	classed	206	138	68	99	Gonorrhoea, stricture of urethra	16	16	—
39	Heus, obstruction of intestine	206	106	100		Delirium tremens	16	16	—
40	Puerperal fever	204	—	204	100	Carbuncle	15	10	5
41	Pleurisy	190	115	75		Cleft palate, harelip	15	7	8
42	Epilepsy	176	95	81		Tumor undefined or ill-defined	14	5	9
	Diseases of digestive system not separately				101	Suicides not separately classed	14	8	6
	classed	172	90	82		Diseases of integumentary system not separately			
43	Cirrhosis of liver	170	100	70		classed	14	6	8
44	Syncope	169	81	88		Stricture or strangulation of intestine	14	8	6
45	Acute nephritis	168	80	88	102	Cut, stab (accidental)	12	9	3
46	Tabes mesenterica	163	89	74		Puerperal mania	12	—	12
47	Rheumatic fever, rheumatism of heart	158	70	88	103	Suppression of urine	11	11	—
48	Emphysema, asthma	157	99	58	104	Chorea	10	—	10
49	Accidents of childbirth not separately classed	154	—	154		Pelvic abscess	9	2	7
50	Anæmia, chlorosis, leucocythæmia	141	52	89		Diseases of spleen	9	3	6
51	Hemiplegia, brain paralysis	139	75	64	105	Hypertrophy of heart	9	4	5
52	Congenital defects not separately classed	135	80	55		Chicken-pox	9	5	4
53	Pyæmia, septicæmia	135	60	75		Mortification undefined or ill-defined	8	3	5
54	Paraplegia, disease of spinal cord	132	95	37	106	Hæmaturia	8	7	1
55	Erysipelas	127	69	58		Phlebitis	8	1	7
56	Embolism, thrombosis	115	54	61		Remittent fever	8	6	2
	Diseases of urinary system not separately				107	Ulcer, bed sore	7	4	3
	classed	109	68	41		Epistaxis and disease of nose	6	4	2
57	Suffocation (accidental)	105	71	34	108	Ophthalmia and disease of eye	6	3	3
58	Hydatid disease	105	55	50		Epidemic rose rash	6	4	2
59	Chronic alcoholism	102	60	36		Diseases of testes, scrotum, &c.	6	6	—
60	Scarlet fever	101	53	48	109	Lupus	5	4	1
61	Hernia	100	51	49		Phlegmasia dolens	5	—	5
62	Laryngitis	87	52	35	110	Disorders of menstruation	4	—	4
	Aneurism	86	76	10		Phagedæna	4	2	2
63	Caries, necrosis	86	44	42		Ague, intermittent fever	3	2	1
	Hanging (suicidal)	86	76	10	111	Diseases from vegetable parasites (except			
	Constitutional diseases not separately classed	83	20	54		thrush)	3	2	1
64	Softening of brain	83	46	37		Mumps	3	2	1
65	Simple cholera	82	45	37		Hanging (execution)	2	2	—
	Rheumatism (except of heart and rheumatic					Perineal abscess	2	2	—
	fever)	81	41	40	112	Melæna	2	1	1
66	Uræmia	79	41	38		Varicose veins	2	—	2
67	Diseases of uterus and vagina	78	—	78		Malarial disease not separately classed	2	2	—
68	Gunshot wounds (suicidal)	76	71	5		Justifiable homicide	1	1	—
69	Poisoning (accidental)	75	58	17	113	Pemphigus	1	—	1
70	Atelectasis	74	47	27		Fistula	1	1	—
71	Gout	71	57	14		Smallpox	1	1	—
72	Placenta prævia, flooding	64	—	64		Cerebro-spinal fever	1	—	1

No. 30.—RETURN showing the Number of Persons who committed Suicide in the Province (exclusive of the Northern Territory) during the Year 1899.

			Cause of Death.										Total.				
			Wounds.				Poisoning.		Drowning.		Hanging.					Otherwise.	
			Gunshot.		Cut, Stab, &c.												
			Males.	Females.	Males.	Females.							Males.	Females.	Males.		
Metropolitan	{	City of Adelaide	1	—	3	—	1	—	—	—	1	—	—	1	6	1	7
		Suburbs “	1	—	1	—	1	—	1	1	3	—	—	—	7	1	8
Extra-Metropolitan			2	—	3	—	1	4	—	5	3	1	—	—	9	10	19
Total			4	—	7	—	3	4	1	6	7	1	—	1	22	12	34

No. 31.—RETURN showing the Ages of Persons who committed Suicide in the Province (exclusive of the Northern Territory) during the Year 1899.

			Ages.																												
			Under 25 years.		25-		30-		35-		40-		45-		50-		55-		60-		65-		70-		75 and Upwards.		Not Stated.		Totals.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.			
Metropolitan	{	City of Adelaide	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	6	1	7
		Suburbs “	—	—	1	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	2	1	—	—	—	—	—	—	7	1	8
Extra-Metropolitan			1	4	1	1	2	1	2	—	1	—	1	1	1	1	—	1	—	—	—	—	—	—	—	1	—	—	9	10	19
Total			1	4	3	1	2	2	4	—	2	—	1	1	3	1	1	1	1	—	3	1	1	—	—	1	—	—	22	12	34

No. 32.—DECENNIAL RETURN showing the Number of Persons who committed Suicide in the Province (exclusive of the Northern Territory.)

Year.	Totals.	Males.	Females.
1890	22	19	3
1891	31	25	6
1892	27	24	3
1893	41	32	9
1894	34	26	8
1895	23	21	2
1896	31	24	7
1897	50	40	10
1898	41	36	5
1899	34	22	12

VACCINATIONS.

No. 33.—RETURN showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1899; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

Number of Public Vaccinators.	Number of successful Vaccinations during the year.	Number of Births Registered during the year.	Proportion of Vaccinations to 100 Children Registered during the year.	Amount Paid by Government for the year's Vaccinations.
198	4,854	9,397	51.65	£ s. d. 799 10 0

No. 34.—DECENNIAL RETURN showing the Number of successful Vaccinations, and the Proportion to Births registered in the Province (exclusive of the Northern Territory.)

Year.	No. of Births Registered.	No. of successful Vaccinations.	No. of Vaccinations to 100 Births Registered.
1890.....	10,364	9,091	87.72
1891.....	10,737	8,187	76.25
1892.....	10,544	9,509	90.18
1893.....	10,683	7,177	67.18
1894.....	10,476	9,029	86.19
1895.....	10,537	7,636	72.47
1896.....	10,012	6,430	64.22
1897.....	9,535	6,331	66.40
1898.....	8,945	5,605	62.66
1899.....	9,397	4,854	51.65

No. 35.—DECENNIAL RETURN showing the Number of Deaths in Public Institutions in the Province (exclusive of the Northern Territory).

H—No. 38.

Name of Institution.	1890.	1891.	1892.	1893.	1894.†	1895.	1896.	1897.	1898.	1899.
HOSPITALS—										
Adelaide Hospital	191	205	193	213	209	260	222	225	246	257
Mount Gambier Hospital	24	13	13	18	18	15	17	18	15	14
Port Adelaide Casualty Hospital	2	2	1	4	6	2	1	—	1	2
Port Augusta Hospital	20	34	29	23	29	14	21	26	19	24
Port Lincoln Hospital	—	5	4	5	2	3	3	2	5	5
Walleroo Hospital	12	11	12	9	11	21	18	14	13	16
Clare Casualty Hospital	2	—	—	1	—	—	—	1	3	1
† Waukarunga Hospital (formerly at Teetulpa)	2	1	—	—	2	—	—	—	—	—
Port Pirie Hospital	—	11	12	12	14	9	7	14	20	21
LUNATIC ASYLUMS—										
Adelaide	22	34	24	17	17	23	21	16	19	14
Parkside	41	56	45	44	41	50	49	49	61	77
DESTITUTE—										
*Destitute Asylum	48	80	56	54	46	53	59	77	84	70
*Lying-in Department	3	2	6	1	5	8	6	6	4	4
State Children's Department {	1	2	1	3	—	—	2	2	4	—
	6	7	7	10	7	7	4	7	12	8
GAOLS AND PENAL ESTABLISHMENTS—										
Adelaide Gaol	—	—	—	—	1†	1†	1	1†	1	—
Gladstone Gaol	1	—	—	1	—	—	—	—	2	1
Mount Gambier Gaol	—	—	—	—	—	—	—	—	—	—
Port Augusta Gaol	—	—	—	—	—	—	—	—	—	—
Port Lincoln Gaol	—	—	—	—	—	—	—	—	—	—
Redruth Gaol	—	—	—	—	—	—	—	—	—	—
Walleroo Gaol	—	—	—	—	—	—	—	—	—	—
Yatala Labor Prison	—	1	2	3	—	—	—	—	—	—

* Including children.

† Closed since September 4th, 1894.

‡ Executed.

G. H. AYLIFFE, Registrar-General of Births, &c.